Journal of
APPLIED POLYMER SCIENCE

Volume 69, 1998

EDITOR
Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR
Herman F. Mark

ASSOCIATE EDITORS

Martin J. Guest
Polymer Center
Dow Chemical Company
B 1470-D
Freeport, TX 77541

William G. Perkins
Shell Chemical Company
130 Johns Avenue
Akron, OH 44305-4097

Robert A. Shick
BF Goodrich
9921 Brecksville Road
Brecksville, OH 44141-3289

Brian W. Pengilly
430 Delaware Avenue
Akron, OH 44303-1236

David A. Schiraldi
Trevira Co.
P.O. Box 5750
Spartanburg, SC 29304-5759

Debra L. Wilfong
3M Masking and Packaging
Systems Division
3M Center, Building 230-1S-10
St. Paul, MN 55144-1000

EDITORIAL BOARD

A.-C. Albertsson
A. N. Banerjee
B. M. Baysal
N. M. Bikales
W. Bonfield
L. Brannon-Peppas
G. Capaccio
S. H. Carr
M. Carrega
P. Cebe
R. E. Cohen
J. R. Collier
J. M. G. Cowie
A. Crowson
J. M. DeSimone
A. T. DiBenedetto
G. W. Ehrenstein
M. S. El-Aasser
L. Fina
F. Garbassi
P. H. Geil
G. Gillberg
W. Glasser
M. Hallden-Abberton
I. R. Harrison
A. Hiltner
R. Ikeda
A. I. Isayev
P. Juliano
S. H. Kandil
J. L. Kardos
A. Keller
F. N. Kelley
B. K. Kim
K. Kishore
L. Konczol
M. Kryszewski
C. Lacabanne
J. L. Leblanc
L. Manring
K. Matsushige
K. Mauritz
G. Mayer
J. W. Mays
S. McCarthy
P. Molyneux
C. L. Myers
L. Nicolais
I. Noda
R. M. Nowak
N. Ogata
E. F. Oleynik
D. R. Paul
N. A. Peppas
N. A. Plate
G. Poehlein
R. S. Porter
R. E. Prud'homme
M. Raab
R. Raghava
L. Rebenfeld
F. Rodriguez
H. P. Schreiber
L. Shi
A. Siegmann
A. W. Snow
L. H. Sperling
D. R. Squire
J. Summers
R. Vera-Graziano
I. M. Ward
G. Wilkes
K. J. Wynne

Editorial Production, John Wiley: Glenn Beck, Ed Connor, Alyson Linefsky

The *Journal of Applied Polymer Science* (ISSN 0021-8995) is published weekly, four volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.
Copyright © 1998 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (508) 750-8400, fax (508) 750-4470. Periodicals postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price (Volumes 67–70, 1998): $8,395.00 in US, $8,915.00 in Canada and Mexico, $9,305.00 outside North America. All subscriptions outside US will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645 or e-mail: SUBINFO@wiley.com.

Postmaster: Send address changes to *Journal of Applied Polymer Science,* Caroline Rothaug, Director, Subscription Fulfillment and Distribution, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Advertising/Sales: Inquiries concerning advertising should be forwarded to the Advertising Sales Manager, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contacts: Bob Kern or Nicky Douglas, John Wiley & Sons, Ltd., Baffins Lane, Chichester, West Sussex PO19 1UD, England. Tel: 44 1243 770 350/367; Fax: 44 1243 770 432; e-mail: adsales@wiley.co.uk

Reprints: Reprint sales and inquiries should be directed to the Customer Service Department, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel.: 212-850-8776.

Other Correspondence: Address all other correspondence to: *Journal of Applied Polymer Science,* Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed or abstracted in *Applied Mechanics Reviews, Chemical Abstracts, Chemical Titles, Current Contents/Engineering, Technology, and Applied Sciences, Current Contents/Physical, Chemical, and Earth Sciences, Engineering Index, Excerpta Medica, RAPRA Abstracts, Research Alert (ISI), Science Citation Index (ISI),* and *SCISEARCH Database (ISI).*

This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper). ♾

Journal of Applied Polymer Science

Author Index to Volume 69

Abadie, M. J. M. See Cherdoud-Chihani, A., 1167
Abd-El-Messieh, S. L. See Mohamed, M. G., 775
Abraham, G. A.
—; Frontini, P. M.; Cuadrado, T. R.: Molding of Biomedical Segmented Polyurethane Delamination Events and Stretching Behavior, 2159
Abusamah, A. See Rozman, H. D., 1993
Achary, P. S.
—; Ramaswamy, R.: Reactive Compatibilization of a Nitrile Rubber/Phenolic Resin Blend: Effect on Adhesive and Composite Properties, 1187
Acosta, J. L. See Morales, E., 2435
Adachi, Y. See Kihara, N., 1863
Adhikari, R. See Gunatillake, P. A., 1621
Agrawal, J. P.
—; Venugopalan, S.; Athar, J.; Sabane, J. V.; Muralidharan, M.: Polysiloxane-Based Inhibition System for Double-Base Rocket Propellants, 7
Ahmed, M. G. M. See Saad, A. L. G., 685
Ahmed, S. Z. See Ali, Sk. A., 1329
Ahn, S.-M.
—; Chang, S.-C.; Rhee, H.-K.: Application of Optimal Temperature Trajectory to Batch PMMA Polymerization Reactor, 59
Ahn, T.-O. See Park, L.-S., 1517
Aiba, S. See Maeda, Y., 303
Akkas, N. See Usanmaz, A., 1409
Akutsu, F.
—; Inoki, M.; Daicho, N.; Kasashima, Y.; Shiraishi, N.; Marushima, K.: Curing Behavior and Properties of Epoxy Resins Cured with the Diamine Having the Quinoxaline or Triazine Structure, 1737
Ali, Sk. A.
—; Wazeer, M. I. M.; Ahmed, S. Z.: Piperazine-Based Homo- and Copolymers Containing Trivalent and Quaternary Nitrogen Functionalities, 1329
Allain, C. See Bouchard, C., 2235
Al-Malaika, S.
—; Artus, K.: Chemical Modification of Polymer Blends by Reactive Processing: *In Situ* Reactions of Interlinking Agents in PS/EPDM Blends, 1933
Alvila, L. See Holopainen, T., 2175
Alvila, L. See Luukko, P., 1805
Amarantos, S. G. See Papadokostaki, K. G., 1275
Anand, P. See Devi, M. S., 1385
Andrade, C. T. See Visconte, L. L. Y., 907
Andrés, M. A.
—; Garmendia, J.; Valea, A.; Eceiza, A.; Mondragon, I.: Fracture Toughness of Epoxy Resins Modified with Polyethersulfone: Influence of Stoichiometry on the Morphology of the Mixtures, 183
Annis, B. K. See Hotter, J. F., 2051, 2115
Aoki, T. See Oikawa, E., 1953
Apicella, B.
—; Di Serio, M.; Fiocca, L.; Po, R.; Santacesaria, E.: Kinetic and Catalytic Aspects of the Formation of Poly(ethyleneterephthalate) (PET) Investigated with Model Molecules, 2423
Apostolov, A. A.
—; Fakirov, S.; Mark, J. E.: Mechanical Properties in Torsion for Poly(butylene terephthalate) and Poly(ether ester) Based on Poly(ethylene glycol) and Poly(butylene terephthalate), 495
See Boneva, D., 2271
Areso, S. See diGarcía-Martínez, ee J. M., 931
Arnaud, R. See Lacoste, J., 1681
Artus, K. See Al-Malaika, S., 1933
Arvanitoyannis, I. See Maeda, Y., 303
Asai, S. See Zhang, C., 1813
Asaletha, R.
—; Groeninckx, G.; Kumaran, M. G.; Thomas, S.: Melt Rheology and Morphology of Physically Compatibilized Natural Rubber–Polystyrene Blends by the Addition of Natural Rubber-*g*-Polystyrene, 2673
Ataee, M. See Katbab, A. A., 25
Athar, J. See Agrawal, J. P., 7
Athawale, V. D. See Bhabhe, M. D., 1451
Atvars, T. D. Z. See Dibbern-Brunelli, D., 645
Avidano, M. See Scheirs, J., 2541
Azuma, C. See Visconte, L. L. Y., 907

Babb, D. A.
—; Boone, H. W.; Smith, D. W., Jr.; Rudolf, P. W.: Perfluorocyclobutane Aromatic Ether Polymers. III. Synthesis and Thermal Stability of a Thermoset Polymer Containing Triphenylphosphine Oxide, 2005
Bae, Y. C. See Choi, H. S., 799
Bae, Y. C. See Oh, K. S., 109
Bagheri, R. See Mehdiabadi, S., 631
Baik, D. H. See Lee, Y., 2641
Bajpai, A.
—; Rai, S.: Synthesis and Characterization of Coordination Polymers of Polyesters with Pendant Amino Groups, 751

Baldrian, J. See Raab, M., 2259
Banerjee, A. See Basu, D., 2585
Banerjee, A. N. See Das, G., 2577
Banerjee, A. N. See Rana, A. K., 329
Banik, I.
—; Bhowmick, A. K.: Dynamic Mechanical Properties of Electron Beam Modified Fluorocarbon Rubber, 2079
Barbosa, V. C. See Dibbern-Brunelli, D., 645
Bartkowiak, A.
—; Hunkeler, D.; Berek, D.; Spychaj, T.: Novel Methods for the Characterization of Water-Soluble Polymers, 2549
Basu, D.
—; Khan, A. K.; Maji, T. K.; Banerjee, A.: Mechanical Property Studies of Poly(methyl-methacrylate)-Grafted Viscose Fibers, 2585
Beers, K. See Mallon, F., 1789
Bell, J. P. See Don, T.-M., 2395
Bellenger, V. See Deslandes, N., 2663
Berek, D. See Bartkowiak, A., 2549
Berglund, L. See Lindhagen, J., 1319
Bertini, S. See Crini, G., 1419
Bhabhe, M. D.
—; Athawale, V. D.: Chemoenzymatic Synthesis of Urethane Oil Based on Special Functional Group Oil, 1451
Bhat, G. See Zhang, D., 421
Bhattacharyya, B. C. See Ganguly, S. C., 709
Bhowmick, A. K. See Banik, I., 2079
Bhowmick, A. K. See Jha, A., 2331
Biscaia, E. C., Jr. See Oliveira, A. T. M., 1137
Boccara, A. C. See Zimmering, B. L., 1875
Bogoeva-Gaceva, G. See Janevski, A., 381
Bond, L. J. See Kools, W. F. C., 2013
Boneva, D.
—; Calleja, F. J. B.; Fakirov, S.; Apostolov, A. A.; Krumova, M.: Microhardness under Strain. III. Microhardness Behavior during Stress-Induced Polymorphic Transition in Blends of Poly(butylene terephthalate) and Its Block Copolymers, 2271
Boone, H. W. See Babb, D. A., 2005
Bosowska, K.
—; Nowakowska, M.: The Roles for a Lewis Base and $MgCl_2$ in Third-Generation Ziegler-Natta Catalysts, 1005
Bottino, F. A.
—; Di Pasquale, G.; Pollicino, A.; Recca, A.: Surface Photostabilization of Polystyrene by Tinuvin 1577, 1251
Bouchard, C.
—; Guerrier, B.; Allain, C.; Laschitsch, A.; Saby, A.-C.; Johannsmann, D.: Drying of Glassy Polymer Varnishes: A Quartz Resonator Study, 2235
Boutevin, B. See Lusinchi, J. M., 657
Brahmbhatt, R. B. See Patel, A. C., 2107
Brantley, N. H. See West, B. L., 911
Brar, A. S.
—; Dutta, K.: One- and Two-Dimensional Nuclear Magnetic Resonance Studies on the Compositional Sequence and the Microstructure of Acrylonitrile–Pentyl Methacrylate Copolymers, 2507
Brown, G. R. See Gupta, V. P., 1901
Buyanov, A. L.
—; Revel'skaya, L. G.; Kuznetzov, Yu. P.; Shestakova, A. S.: Cellulose–Poly(acrylamide or acrylic acid) Interpenetrating Polymer Network Membranes for the Pervaporation of Water–Ethanol Mixtures, 761

Calleja, F. J. B. See Boneva, D., 2271
Camargo, S. S., Jr. See Soares, B. G., 825
Camino, G. See Scheirs, J., 2541
Cao, D. X. See Tong, Z. S., 1743
Cao, J. See Cao, W., 1975
Cao, J. Q. See Tong, Z. S., 1743
Cao, W.
—; Zhao, C.; Cao, J.: Synthesis and Characterization of 3-Methoxydiphenylamine-4-diazonium Salt and Its Diazoresin, 1975
Carlotti, S.
—; Mas, A.: Improvement of Adhesion of PET Fibers to Rubber by Argon-Oxygen Plasma Treatment, 2321
Castellan, A. See Ruffin, B., 2517
Çaykara, T.
—; Eroğlu, S.; Güven, O.: Surface Free Energy Analysis of Vinyl Triethoxy Silane-Methyl Methacrylate Copolymers and Their Homopolymer Blends, 1551
Cella, N. See d'Almeida, J. R. M., 1335
Çengeloğlu, Y.
—; Mercimek, B.; Kara, H.; Ersöz, M.: Sorption of Target Anions by Ligand Exchange, 771
Chai, X.
—; Kobayashi, T.; Fujii, N.: Charged Polyacrylonitrile Membranes Having Amphiphilic Quaternized Ammonium Groups for Ultrafiltration, 1821
Chakraborty, D. See Das, B., 841
Chakraborty, S. See Das, B., 841
Chan, C.-M. See Mi, Y., 1923
Chang, J.-M. See Kuo, P.-L., 1635
Chang, S.-C. See Ahn, S.-M., 59
Chanyi, C. See Knaul, J., 1435
Chao, D. Y. See Kuo, Y. M., 2097
Chapiro, A. See Plessier, C., 1343
Chauhan, G. S. See Kaur, I., 599
Chen, C.-F. See Lee, W.-F., 2021
Chen, D. See Peng, W., 247
Chen, D. See Zhong, B., 1599, 1855
Chen, H.-Z.
—; Xu, R.-S.; Wang, M.: Synthesis and Photoconductivity Study of Phthalocyanine Polymers.

VI. Ethylenediamine Bridged Polymeric MnPc, 2609
Chen, J.-H. See Hong, P.-D., 2477
Chen, J. S.
—; Yu, T. L.: Microgelation of Unsaturated Polyester Resins by Static and Dynamic Light Scattering, 871
Chen, L. W. See Lin, J. R., 1563, 1575
Chen, T.
—; Li, H.; Gao, Y.; Zhang, M.: Study on Epoxy Resins Modified by Polycarbonate Polyurethanes, 887
Chen, W. See Wang, H., 2649
Chen, X.
—; Guo, Q.; Mi, Y.: Bamboo Fiber-Reinforced Polypropylene Composites: A Study of the Mechanical Properties, 1891
Chen, Y.-H. See Lee, C.-F., 13
Chen-Yang, Y. W.
—; Chuang, J. R.; Yang, Y. C.; Li, C. Y.; Chiu, Y. S.: New UV-Curable Cyclotriphosphazenes as Fire-Retardant Coating Materials for Wood, 115
Cherdoud-Chihani, A.
—; Mouzali, M.; Abadie, M. J. M.: Study of Crosslinking AMS/DGEBA System by FTIR, 1167
Chiu, W.-Y. See Lee, C.-F., 13
Chiu, Y. S. See Chen-Yang, Y. W., 115
Cho, H. See Mah, S., 611
Cho, J. See Lee, Y., 2641
Cho, K. See Rana, D., 2441
Cho, W.-J. See Jung, S.-J., 695
Choe, S. See Rana, D., 2441
Choi, H. S.
—; Kim, J. M.; Lee, K.-J.; Bae, Y. C.: Swelling Behavior of Thermosensitive *N*-Isopropylacrylamide-Ethyl *N*-Acryloylglycine Submicron-Sized Copolymer Gel Particles, 799
Choi, S. See Mah, S., 611
Chung, H. See Jang, J., 2043
Chuang, J. R. See Chen-Yang, Y. W., 115
Chwang, C. P. See Kuo, Y. M., 2097
Ciesielska, D. See Jurkowski, B., 719
Cofrades, A. G. See diGarcía-Martínez, ee J. M., 931
Collar, E. P. See diGarcía-Martínez, ee J. M., 931
Collier, J. R.
—; Romanoschi, O.; Petrovan, S.: Elongational Rheology of Polymer Melts and Solutions, 2357
Commereuc, S.
—; Scheirs, S.; Verney, V.; Lacoste, J.: *In Situ* Detection of Hindered Amine Stabilizer Consumption in Polymer Through Oxidation by Indirect Electron Spin Resonance, 1107
Costa, D. A.
—; Oliveira, C. M. F.: Blends of Polyamide 6, Polycarbonate, and Poly(propylene oxide). I. Reactive Compatibilization–Morphology Relationships, 857
—; Oliveira, C. M. F.; Tavares, M. I. B.: Solid-State Nuclear Magnetic Resonance of the PA6/PC, PA6/PPO, and PA6/PC/PPO Blends, 129
Coupas, A.-C. See Gauthier, H., 2195
Creber, K. A. M. See Knaul, J., 1435
Crini, G.
—; Janus, L.; Morcellet, M.; Torri, G.; Naggi, A.; Bertini, S.; Vecchi, C.: Macroporous Polyamines Containing Cyclodextrin: Synthesis, Characterization, and Sorption Properties, 1419
Cuadrado, T. R. See Abraham, G. A., 2159
Cuadrado, T. R. See Vallo, C. I., 1367
Cuculo, J. A. See Hotter, J. F., 2115, 2051
Cui, W. See Tang, J., 1159
Cumpston, B. H.
—; Jensen, K. F.: Photooxidative Stability of Substituted Poly(Phenylene Vinylene) (PPV) and Poly(Phenylene Acetylene) (PPA), 2451
Cunningham, R. L.
—; Gordon, S. H.; Felker, F. C.; Eskins, K.: Glycols in Polyurethane Foam Formulations with a Starch–Oil Composite, 957
Czub, P. See Pielichowski, K., 451

Daicho, N. See Akutsu, F., 1737
d'Almeida, J. R. M.
—; Cella, N.; Monteiro, S. N.; Miranda: Thermal Diffusivity of Epoxy System as Function of Hardener Content, 1335
Das, B.
—; Kar, S.; Chakraborty, S.; Chakraborty, D.; Gangopadhyay, S.: Synthesis and Characterization of Polyacrylamide–Polyaniline Conductive Blends, 841
Das, G.
—; Banerjee, A. N.: Rheological Studies of the Poly(Styrene-*Co*-Acrylonitrile) and Poly(Vinyl Chloride-*Co*-Vinyl Acetate) Blends, 2577
De, P. P. See Dutta, S., 153
De, S. K. See Dutta, S., 153
Deb, K. See Mitra, K., 69
De Jaeger, R. See Pemberton, L., 1965
Deng, S.
—; Tremblay, A.; Matsuura, T.: Preparation of Hollow Fibers for the Removal of Volatile Organic Compounds from Air, 371
Deslandes, N.
—; Bellenger, V.; Jaffiol, F.; Verdu, J.: Solubility Parameter of a Polyester Composite Material, 2663
Devi, M. S.
—; Murugesan, V.; Rengaraj, K.; Anand, P.: Utilization of Flyash as Filler for Unsaturated Polyester Resin, 1385
Devi, S. See Patel, A. C., 2107
Diao, B.
—; Isayev, A. I.; Levin, V. Y.; Kim, S. H.: Surface Behavior of Blends of SBR with Ultrasonically Devulcanized Silicone Rubber, 2691
Dibbern-Brunelli, D.
—; Atvars, T. D. Z.; Joekes, I.; Barbosa, V. C.: Mapping Phases of Poly(vinyl alcohol)

and Poly(vinyl acetate) Blends by FTIR Microspectroscopy and Optical Fluorescence Microscopy, 645
Dieppedale, M. See Lacoste, J., 1681
Dimonie, V. L. See Xu, J., 977, 965, 985
Ding, P.-Y. See Zhang, B.-L., 339
Di Pasquale, G. See Bottino, F. A., 1251
Di Serio, M. See Apicella, B., 2423
Dodiuk, H. See Sagi-Mana, D., 2229
Doğan, A. See Usanmaz, A., 1409
Don, T.-M.
—; Bell, J. P.: Fourier Transform Infrared Analysis of Polycarbonate/Epoxy Mixtures Cured with an Aromatic Amine, 2395
Drinkenburg, A. A. H. See Kemmere, M. F., 2409
Dubey, V.
—; Rao, N. B. S. N.; Maiti, S. N.; Gupta, A. K.: Sorption of Sulphur Mustard and Its Oxygen Analogue in Black and Non-Black Butyl Rubber Membranes, 503
Dutta, K. See Brar, A. S., 2507
Dutta, S.
—; De, P. P.; De, S. K.: Ionic Elastomer Blends of Zinc Salts of Maleated EPDM Rubber and Carboxylated Nitrile Rubber, 153
Du, Y. See Zhao, X. Y., 349
Du, Z. See Peng, W., 247
Du, Z. See Zhong, B., 1855
Du, Z.-J. See Zhang, B.-L., 339
Dzięcioł, M.
—; Trzeszczyński, J.: Studies of Temperature Influence on Volatile Thermal Degradation Products of Poly(ethylene terephthalate), 2377

Eceiza, A. See Andrés, M. A., 183
Eckert, C. A. See West, B. L., 911
Ekinci, E. See Yilmaz, T., 1837
El-Aasser, M. S. See Özdeğer, E., 2277
El-Aasser, M. S. See Xu, J., 965, 977, 985
El-Bakary, M. A. See Hamza, A. A., 1495
El-Sabbagh, S. See Mohamed, M. G., 775
El-Sharkawy, F. M. See Fouda, I. M., 33
Endo, T. See Ikemura, K., 1057
Eroğlu, S. See Çaykara, T., 1551
Ersöz, M. See Çengeloğlu, Y., 771
Eskins, K. See Cunningham, R. L., 957
Esmail, M. N. See Ghannam, M. T., 1587

Fakirov, S. See Apostolov, A. A., 495
Fakirov, S. See Boneva, D., 2271
Fan, L. T. See Shen, Z., 1019
Farag, S. See Khalil, M. I., 45
Farnia, S. M. F. See Mohammadi-Rovshandeh, J., 627
Fay, C. C.
—; St. Clair, A. K.: Dimensionally Stable Polyimide Copolymers for Microelectronics Applications, 2383
Felker, F. C. See Cunningham, R. L., 957
Feng, Y.
—; Jin, X.; Hay, J. N.: Crystallization, Melting Behavior, and Morphology of BPP/HDPE Blend, 2469
—; Jin, X.; Hay, J. N.: Effect of Nucleating Agent Addition on Crystallization of Isotactic Polypropylene, 2089
—; Zhang, L.; Huang, J.; Sun, J.: Synthesis of Polymers with Alkyaminopyridine Functions as a Supernucleophilic Reagent (Note), 2303
Ferreira, A. J. B. See Soares, B. G., 825
Fiocca, L. See Apicella, B., 2423
Fouda, I. M.
—; Kabeel, M. A.; El-Sharkawy, F. M.: Optothermal Properties of Fibers. XIV. Investigation of Some Optical Structural Parameters of Annealed and Cold Drawn Polyester Fibers, 33
Fouda, I. M. See Hamza, A. A., 1495
Freddi, G. See Tsukada, M., 239
Freeman, J. J. See Muellerleile, J. T., 1675
Friedrich, C. See Stricker, F., 2499
Frontini, P. M. See Abraham, G. A., 2159
Fu, S. See Tang, J., 1159
Fujii, N. See Chai, X., 1821
Fukuoka, T. See Mochizuki, A., 1645
Fukutomi, T. See Kihara, N., 1863

Gabrielii, I.
—; Gatenholm, P.: Preparation and Properties of Hydrogels Based on Hemicellulose, 1661
Gadekar, R.
—; Kulkarni, A.; Jog, J. P.: Blends of Nylon with Polyethylene: Effect of Compatibilization on Mechanical and Dynamic Mechanical Properties, 161
Gambert, X. See Poisson, N., 2487
Gamboa, K. M. N. See Soares, B. G., 825
Gangopadhyay, S. See Das, B., 841
Ganguly, S. C.
—; Bhattacharyya, B. C.: Preparation of Novel Membrane from Dianhydride-Modified Polystyrene with Controlled Pore Size on Micro- and Macrolevels, 709
Gao, J.
—; Yu, J.; Wang, W.; Lin, T.: The Accelerated Degradation of Aqueous Polyacrylamide at Low Temperature, 791
Gao, Y. See Chen, T., 887
García-Martínez, J. M.
—; Cofrades, A. G.; Areso, S.; Laguna, O.; Collar, E. P.: Grafting of *P*-Phenylen-bis-Maleamic Acid into Polypropylene in Melt, 931
Garmendia, J. See Andrés, M. A., 183
Gatenholm, P. See Gabrielii, I., 1661
Gauthier, H.
—; Coupas, A.-C.; Villemagne, P.; Gauthier, R.: Physicochemical Modifications of Partially

Esterified Cellulose Evidenced by Inverse Gas Chromatography, 2195
Gauthier, R. See Gauthier, H., 2195
Gavrilov, N.
—; Yakusheva, D.; Kondyurin, A.: Structure of Polyethylene After Pulse Ion Beam Treatment, 1071
Gengembre, L. See Pemberton, L., 1965
Gerking, L. See Qiu, G., 729
German, A. L. See Kemmere, M. F., 2409
Ghannam, M. T.
—; Esmail, M. N.: Rheological Properties of Aqueous Polyacrylamide Solutions, 1587
Gomes, A. S. See Gorelova, M. M., 2349
González, G. See Mansur, C. R. E., 2459
Gopala, A.
—; Wu, H.; Harris, F.; Heiden, P.: Investigation of Readily Processable Thermoplastic-Toughened Thermosets. I. BMIs Toughened via a Reactive Solvent Approach, 469
Gordon, S. H. See Cunningham, R. L., 957
Gorelova, M. M.
—; Pertsin, A. J.; Volkov, I. O.; Sanches, N. B.; Gomes, A. S.: Effect of Deformation on the Surface Composition of Multicomponent Polymers. II. Blends of Polydimethylsiloxane–Polysulfone Block Copolymers in Polychloroprene, 2349
Gotoh, T.
—; Nakatani, Y.; Sakohara, S.: Novel Synthesis of Thermosensitive Porous Hydrogels, 895
Gowri, V. S.
—; Saxena, M.: BSL-Based Coatings for Bamboo Protection, 487
Grave, C.
—; McEwan, I.; Pethrick, R. A.: Influence of Stoichiometric Ratio on Water Absorption in Epoxy Resins, 2369
Greenberg, A. R. See Kools, W. F. C., 2013
Grelier, S. See Ruffin, B., 2517
Grellman, W. See Raab, M., 2259
Grobelny, J. See Magagnini, P. L., 391
Groeninckx, G. See Asaletha, R., 2673
Güçlü, G.
—; Kaşgöz, A.; Özbudak, S.; Özgümüş, S.; Orbay, M.: Glycolysis of Poly(ethylene terephthalate) Wastes in Xylene, 2311
Guerrier, B. See Bouchard, C., 2235
Gui, Y. See Zhuang, G., 589
Gunatillake, P. A.
—; Meijs, G. F.; McCarthy, S. J.; Adhikari, R.; Sherriff, N.: Synthesis and Characterization of a Series of Poly(alkylene carbonate) Macrodiols and the Effect of Their Structure on the Properties of Polyurethanes, 1621
Güngör, A. See Yilmaz, T., 1837
Guo, Q. See Chen, X., 1891
Guo, Q. See Mi, Y., 1923
Guo, Q. See Zheng, S., 675
Guo, Q. See Zhong, Z., 995
Gupta, A. See Kaur, I., 599
Gupta, A. K. See Dubey, V., 503
Gupta, B. See Plessier, C., 1343
Gupta, S. K. See Mitra, K., 69
Gupta, V. P.
—; Brown, G. R.: Crosslinking of Poly(Vinyl Chloride)—I. Grafting of Vinyltri(alkoxy)silanes Using UV Irradiation, 1901
Güven, O. See Çaykara, T., 1551
Güven, O. See Işik-Yürüksoy, B., 1761
Guven, O. See Pekel, N., 1669

Ha, C.-S. See Jung, S.-J., 695
Haizuka, H. See Hamada, K., 2247
Hamabe, S. See Nishioka, N., 2133
Hamada, K.
—; Haizuka, H.; Yamazaki, A.: Effects of a Bolaform Electrolyte on the Sorption of Acid Dyes by a Nylon 6 Film, 2247
Hamza, A. A.
—; Fouda, I. M.; Sokkar, T. Z. N.; El-Bakary, M. A.: Optothermal Properties of Fibers. IX. Study Changes of Optical Parameters by Multiple-Beam Technique Due to Thermal Annealing for Natural Silk Fibers, 1495
Haralabakopoulos, A. A.
—; Tsiourvas, D.; Paleos, C. M.: Modification of Poly(vinyl alcohol) Polymers by Aliphatic Carboxylic Acids via Reactive Blending, 1885
Harris, F. See Gopala, A., 469
Hassan, A. M. See Saad, A. L. G., 685
Hayashi, K. See Maeda, Y., 303
Hayashi, S. See Kim, H.-J., 581
Hay, J. N. See Feng, Y., 2089, 2469
He, F. See Yuan, X., 1907
He, W.-D.
—; Zhou, Y.-F.; Pan, C.-Y.: Influence of Crosslinking Degree of Silicone Rubber Particles on Properties of Epoxy Resin, 619
Heiden, P. See Gopala, A., 469
Hnatowicz, V. See Švorčík, V., 1257
Holmgren, A. See Oksman, K., 201
Holopainen, T.
—; Alvila, L.; Rainio, J.; Pakkanen, T. T.: IR Spectroscopy as a Quantitative and Predictive Analysis Method of Phenol–Formaldehyde Resol Resins, 2175
Holopainen, T. See Luukko, P., 1805
Hong, P.-D.
—; Chen, J.-H.; Wu, H.-L.: Solvent Effect on Structural Change of Poly(vinyl alcohol) Physical Gels, 2477
Hooper, M. See Knaul, J., 1435
Horák, Z.
—; Kolařík, J.; Šípek, M.; Hynek, V.; Večerka, F.: Gas Permeability and Mechanical Properties of Polystyrene–Polypropylene Blends, 2615

Hotter, J. F.
—; Cuculo, J. A.; Tucker, P. A.; Annis, B. K.: Effect of Initial Take-Up Speed on Properties and Structure of As-Spun and Drawn/Heat-Set Poly(ethylene terephthalate) Filaments, 2115
—; Cuculo, J. A.; Tucker, P. A.; Annis, B. K.: Effect of Liquid Isothermal Bath Position in Modified Poly(ethylene terephthalate) PET Melt Spinning Process on Properties and Structure of As-Spun and Annealed Filaments, 2051
Hourston, D. J. See Zhang, Y., 271
Hsu, C.-H. See Lee, W.-F., 229, 1793
Hu, G.-H. See Yu, Z.-Z., 1711
Hu, K. See Tang, J., 1159
Huang, J. See Feng, Y., 2303
Huang, J. See Zheng, S., 675
Huang, J.-F. See Zhang, B.-L., 339
Huang, N.-X. See Qiu, G., 729
Huang, P. C.
—; Yang, S.; Zhou, G.: Synthesis of Amphiphilic Block Copolymer of Acrylamide with Styrene Using Free Radical Interfacial Copolymerization, 443
Huang, Q.
—; Klötzer, R.; Seibig, B.; Paul, D.: Extrusion of Microcellular Polysulfone Using Chemical Blowing Agents, 1753
Huang, S. K. See Lo, T.-Y., 1523
Huang, Y.
—; Liu, Y.; Zhao, C.: Morphology and Properties of PET/PA-6/E-44 Blends, 1505
Huh, J. H. See Kim, H. D., 1349
Hunkeler, D. See Bartkowiak, A., 2549
Hussien, L. I. See Saad, A. L. G., 685
Hynek, V. See Horák, Z., 2615

Ibhadon, A. O.
Fracture Mechanics of Polypropylene: Effect of Molecular Characteristics, Crystallization Conditions, and Annealing on Morphology and Impact Performance, 2657
Ichimura, A. See Saito, R., 211
Ikehara, T. See Lee, J.-C., 193
Ikemura, K.
—; Endo, T.: Effects of a New 4-Acryloxyethyltrimellitic Acid in a Visible Light-Cured Dental Adhesive on Adhesion and Polymerization Reactivity, 1057
Imai, T. See Tsukada, M., 239
Inagaki, N.
—; Tasaka, S.; Inoue, T.: Surface Modification of Aromatic Polyamide Film by Plasma Graft Copolymerization of Glycidylmethacrylate for Epoxy Adhesion, 1179
Inoki, M. See Akutsu, F., 1737
Inoue, A. See Ogawa, T., 315
Inoue, T. See Inagaki, N., 1179
Isayev, A. I. See Diao, B., 2691
Ishak, Z. A. M. See Mousa, A., 1357
Ishak, Z. A. M. See Rozman, H. D., 1993
Ishiaku, U. S. See Mousa, A., 1357
Ishida, H.
—; Low, H. Y.: Synthesis of Benzoxazine Functional Silane and Adhesion Properties of Glass-Fiber-Reinforced Polybenzoxazine Composites, 2559
Ishizu, K. See Saito, R., 211
Işik-Yürüksoy, B.
—; Kiş, M.; Güven, O.: The Preservation of Çankiri Limestone in Sulfur Dioxide Atmosphere by *In Situ* Polymerization of Ethyl Methacrylate, 1761
Ito, T. See Toi, K., 1013
Ives, A. See Mallon, F., 1789

Jacobson, R. See Rana, A. K., 329
Jaffiol, F. See Deslandes, N., 2663
Jain, R. C. See Patel, A. C., 2107
Janevski, A.
—; Bogoeva-Gaceva, G.: Isothermal Crystallization of iPP in Model Glass-Fiber Composites, 381
Jang, J.
—; Chung, H.; Kim, M.; Kim, Y.: Improvement of Flame Retardancy in Phenolics and Paper-Sludge/Phenolic Composites, 2043
Janus, L. See Crini, G., 1419
Jar, P.-Y. B.
—; Kuboki, T.; Takahashi, K.; Shinmura, T.: Effects of Mixing Ratio and Monomer Composition on Morphology and Mechanical Properties of SMI/SAN Blends, 513
Jensen, K. F. See Cumpston, B. H., 2451
Jeong, H. M. See Jin, D. W., 533
Jha, A.
—; Bhowmick, A. K.: Influence of Dynamic Vulcanization and Phase Interaction on the Swelling Behavior of the Thermoplastic Elastomeric Blends of Nylon-6 and Acrylate Rubber in Various Solvents and Oil, 2331
Jia, Z. See Tang, J., 1159
Jiliang, J. See Long, J., 323
Jin, D. W.
—; Shon, K. H.; Jeong, H. M.; Kim, B. K.: Compatibility Enhancement of ABS/Polycarbonate Blends, 533
Jin, R. P. See Tong, Z. S., 1743
Jin, X. See Feng, Y., 2089, 2469
Jo, W. H. See Kim, D. H., 807
Joekes, I. See Dibbern-Brunelli, D., 645
Jog, J. P. See Gadekar, R., 161
Johannsmann, D. See Bouchard, C., 2235
Joseph, R. See Princy, K. G., 1043
Joseph, R. See Sagi-Mana, D., 2229
Jun, T.
—; Qunji, X.: Surface Modification of PTFE by ^{60}Co γ-Ray Irradiation, 435
Jung, S.-J.
—; Lee, S.-J.; Cho, W.-J.; Ha, C.-S.: Synthesis and Properties of UV-Curable Waterborne Unsaturated Polyester for Wood Coating, 695
Jurkowska, B. See Koczorowska, E., 1531
Jurkowski, B.
—; Kelar, K.; Ciesielska, D.:

Influence of Chemical and Mechanical Compatibilization on Structure and Properties of Polyethylene/Polyamide Blends, 719
Jurkowski, B. See Koczorowska, E., 1531

Kabeel, M. A. See Fouda, I. M., 33
Kaizhi, S. See Long, J., 323
Kamel, S. See Mansour, O. Y., 845
Kaneko, T. See Oikawa, E., 1953
Kar, S. See Das, B., 841
Kara, H. See Çengeloğlu, Y., 771
Karásek, L.
—; Meissner, B.: Experimental Testing of the Polymer–Filler Gel Formation Theory. Part II, 95
Kartha, C. S. See Princy, K. G., 1043
Kasai, N. See Tsukada, M., 239
Kasai, T. See Toi, K., 1013
Kasashima, Y. See Akutsu, F., 1737
Kaşgöz, A. See Güçlü, G., 2311
Katbab, A. A.
—; Ataee, M.: Cobalt 60 Gamma Ray Induced Graft Copolymerization of Methylmethacrylate (MMA) Onto EPDM Rubber. Improved Oil Resistivity, 25
Kaur, I.
—; Misra, B. N.; Gupta, A.; Chauhan, G. S.: Graft Copolymerization of 4-Vinylpyridine and Methyl Acrylate onto Polyethylene Film by Radiochemical Method, 599
—; Misra, B. N.; Kumar, S.: Graft Copolymerization of Methacrylic Acid onto Isotactic Polypropylene by Radiochemical Methods, 143
Kawasaki, N. See Maeda, Y., 303
Kazarian, S. G. See West, B. L., 911
Kelar, K. See Jurkowski, B., 719
Kemmere, M. F.
—; Meuldijk, J.; Drinkenburg, A. A. H.; German, A. L.: Aspects of Coagulation during Emulsion Polymerization of Styrene and Vinyl Acetate, 2409
Kenessey, G. See Wagner, Ö., 1705
Khalil, M. I.
—; Farag, S.: Utilization of Some Starch Derivatives in Heavy Metal Ions Removal, 45
Khan, A. K. See Basu, D., 2585
Kihara, N.
—; Adachi, Y.; Nakao, K.; Fukutomi, T.: Reaction of Methyl Thioglycolate with Chloromethylstyrene Microgel: Preparation of Core–Shell-Type Microgel by Chemical Modification, 1863
Kil, Y.-S. See Park, L.-S., 1517
Kim, B. K. See Jin, D. W., 533
Kim, B. S.
—; Kim, S. C.: Free Radical Grafting of Styrene Onto Polyethylene in an Intensive Mixer, 1307
Kim, C.-J. See Konar, N., 263
Kim, D. H.
—; Jo, W. H.; Lee, S. C.; Kim, H. C.: The Compatibilizing Effect of Poly(styrene-*co*-4-vinylpyridine) Copolymers on the Polystyrene–Polyethylene-Based Ionomer Blends, 807
Kim, E. Y. See Kim, H. D., 1349
Kim, H. C. See Kim, D. H., 807
Kim, H. D.
—; Huh, J. H.; Kim, E. Y.; Park, C. C.: Comparison of Properties of Thermoplastic Polyurethane Elastomers with Two Different Soft Segments, 1349
Kim, H.-J.
—; Hayashi, S.; Mizumachi, H.: Miscibility and Fracture Energy of Probe Tack for Acrylic Pressure-Sensitive Adhesives: Acrylic Copolymer/Tackifier Resin Systems, 581
Kim, H. S.
—; Ma, P.: Mode II Fracture Mechanisms of PBT-Modified Brittle Epoxies, 405
Kim, J.-H. See Lee, D.-Y., 543
Kim, J. H. See Park, J. S., 2213
Kim, J. M. See Choi, H. S., 799
Kim, J.-W.
—; Suh, K.-D.: Solution Behavior of Urethane Acrylate Anionomer Synthesized with Dimethylolpropionic Acid: Viscosity Prediction Through Rheological Equation of State, 1079
Kim, J.-Y. See Park, J.-G., 2291
Kim, M. See Jang, J., 2043
Kim, M. See Ko, M., 2187
Kim, S. C. See Kim, B. S., 1307
Kim, S. C. See Lee, S. S., 1291
Kim, S. H. See Diao, B., 2691
Kim, S. J. See Shin, H. S., 479
Kim, S. Y. See Shin, H. S., 479
Kim, Y. See Jang, J., 2043
Kiş, M. See Işik-Yürüksoy, B., 1761
Kitagawa, T. See Nishioka, N., 2133
Klein, A. See Özdeğer, E., 2277
Klein, A. See Xu, J., 985
Klötzer, R. See Huang, Q., 1753
Knaul, J.
—; Hooper, M.; Chanyi, C.; Creber, K. A. M.: Improvements in the Drying Process for Wet-Spun Chitosan Fibers, 1435
Ko, M.
—; Kim, M.: Effect of Postmold Curing on Plastic IC Package Reliability, 2187
Kobayashi, T. See Chai, X., 1821
Koczorowska, E.
—; Jurkowska, B.; Jurkowski, B.: Studies of Sulfur Behavior in Rubber Compounds, 1531
Kodani, T.
—; Sakai, H.; Okabe, T.; Nomura, M.: Effect of Vinylidene Chloride Content on Film-Formation Property of Vinylidene Chloride-Methyl Acrylate Copolymer Latex, 565
—; Sakai, H.; Takayama, A.; Nomura, M.: Effect of Storage on Film-Formation Property of Vinylidene Chloride-Acrylonitrile-Methyl Acrylate Terpolymer Latex, 573
Kolařík, J. See Horák, Z., 2615
Kolesnikova, N. N. See Shlyapnikov, Yu. A., 1847

Kon, B. K. See Rozman, H. D., 1993
Konagurthu, S. See Kools, W. F. C., 2013
Konar, N.
—; Kim, C.-J.: Water-Soluble Quaternary Amine Polymers as Controlled Release Carriers, 263
Kondyurin, A. See Gavrilov, N., 1071
Kools, W. F. C.
—; Konagurthu, S.; Greenberg, A. R.; Bond, L. J.; Krantz, W. B.; Van den Boomgaard, Th.; Strathmann, H.: Use of Ultrasonic Time-Domain Reflectometry for Real-Time Measurement of Thickness Changes During Evaporative Casting of Polymeric Films, 2013
Koshizaki, N. See Mochizuki, A., 1645
Kotek, J. See Raab, M., 2259
Koyama, K. See Takahashi, T., 1765
Krantz, W. B. See Kools, W. F. C., 2013
Krishnan, V. K.
—; Yamuna, V.: Aging Studies of a Radiopaque Light-Cured Dental Composite in Food-Simulating Liquids, 1153
Król, P.
Kinetic Model for the Process Giving Linear Polyurethanes, with Consideration of Substitution Effects and Different Chemical Reactivities of Functional Groups in Toluene 2,4-diisocyanate, 169
Krumova, M. See Boneva, D., 2271
Kržan, A.
Microwave Irradiation as an Energy Source in Poly(ethylene terephthalate) Solvolysis, 1115
Ku, K. Y. See Kuo, Y. M., 2097
Kuboki, T. See Jar, P.-Y. B., 513
Kudo, M. See Nikkeshi, S., 2593
Kulkarni, A. See Gadekar, R., 161
Kumar, A. See Zimmering, B. L., 1875
Kumar, R. N. See Rozman, H. D., 1993
Kumar, S. See Kaur, I., 143
Kumaran, M. G. See Asaletha, R., 2673
Kuo, P.-L.
—; Chang, J.-M.; Wang, T.-L.: Flame-Retarding Materials—I. Syntheses and Flame-Retarding Property of Alkylphosphate-Type Polyols and Corresponding Polyurethanes, 1635
Kuo, Y. M.
—; Ku, K. Y.; Lin, H. C.; Wang, N. H.; Chwang, C. P.; Chao, D. Y.: A Study of Colored Siloxane-Based Polyurethane Ionomer, 2097
Kuriakose, S. See Mathew, T., 89
Kuyulu, A. See Yilmaz, T., 1837
Kuznetzov, Yu. P. See Buyanov, A. L., 761
Kwei, T. K. See Yaung, J.-F., 921
Kwon, O. H. See Park, J. S., 2213

Lacoste, J.
—; Ladsous, P.; Dieppedale, M.; Arnaud, R.: Quantitative Study of Photocatalyzed Oxidation of Ethylene–Propylene Rubber and Atactic Polypropylene, 1681
Lacoste, J. See Commereuc, S., 1107
Ladsous, P. See Lacoste, J., 1681
Laguna, O. See diGarcía-Martínez, ee J. M., 931
La Mantia, F. P. See Magagnini, P. L., 391
Laschitsch, A. See Bouchard, C., 2235
Law, S. J.
—; Mukhopadhyay, S. K.: Compositional Changes During the Wet Spinning of Acrylic Fibers from Aqueous Sodium Thiocyanate Solvent, 1459
Lednický, F. See Stehlíček, J., 2139
Lee, B. H. See Rana, D., 2441
Lee, C.-F.
—; Chen, Y.-H.; Chiu, W.-Y.: Morphology, Thermal Property, and Mechanical Property of Core–Shell Latex Polymers. I. Effect of Heating and Pressuring on PBA/PS Linear Composite Polymer, 13
Lee, C. H. See Rana, D., 2441
Lee, C.-T. See Ma, C.-C. M., 1129
Lee, D.-C. See Park, L.-S., 1517
Lee, D.-Y.
—; Kim, J.-H.: Preparation of Small-Sized Carboxylated Latexes by Emulsion Polymerization Using Alkali-Soluble Random Copolymer, 543
Lee, J.-C.
—; Ikehara, T.; Nishi, T.: Morphology and Electrical Properties of Carbon Black-Filled Poly(ε-caprolactone)/Poly(vinyl butyral) Blends, 193
—; Litt, M. H.; Rogers, C. E.: Syntheses and Properties of Oxyalkylene Copolymers Containing Methylsulfonylmethyl and Chloromethyl Side Groups or Methylthiomethyl and Chloromethyl Side Groups, 2261
Lee, K. H. See Shin, H. S., 479
Lee, K.-H. See Yeom, C. K., 1607
Lee, K.-J. See Choi, H. S., 799
Lee, S. C. See Kim, D. H., 807
Lee, S.-J. See Jung, S.-J., 695
Lee, S. S.
—; Kim, S. C.: Physical Aging of Polydimethylsiloxane-Modified Epoxy Resin, 1291
Lee, W.-F.
—; Chen, C.-F.: Poly(2-Hydroxyethyl methacrylate-*co*-Sulfobetaine) Hydrogels. II. Synthesis and Swelling Behaviors of the [2-Hydroxyethyl methacrylate-*co*-3-dimethyl(methacryloyloxyethyl)ammonium propane sulfonate] Hydrogels, 2021
—; Hsu, C.-H.: Superabsorbent Polymeric Material. V. Synthesis and Swelling Behavior of Sodium Acrylate and Sodium 2-Acrylamido-2-Methylpropanesulfonate Copolymeric Gels, 229

—; Hsu, C.-H.: Thermoreversible Hydrogel V: Synthesis and Swelling Behavior of the (*N*-isopropylacrylamide-*co*-trimethyl methacryloyloxyethyl ammonium iodide) Copolymeric Hydrogels, 1793
Lee, Y.
—; Shin, D.; Cho, J.; Park, Y. H.; Son, Y.; Baik, D. H.: Ionic Interactions in Polyacrylonitrile/Polypyrrole Conducting Polymer Composite, 2641
Lee, Y. M. See Shin, H. S., 479
Lei, Y.-H. See Wang, Y.-P., 835
Lenka, S. See Tsukada, M., 239
Lettmann, B. See Müller, B., 2169
Levin, V. Y. See Diao, B., 2691
Li, B. See Zhuang, G., 589
Li, C. Y. See Chen-Yang, Y. W., 115
Li, G. See Liu, T., 1829
Li, H. See Chen, T., 887
Li, J. See Zheng, S., 675
Li, K. See Tang, J., 1159
Li, Q. See Wang, S., 1557
Li, W. See Wang, H., 1679
Li, Z. See Tan, Y., 879
Lin, H. C. See Kuo, Y. M., 2097
Lin, J. R.
—; Chen, L. W.: Study on Shape-Memory Behavior of Polyether-Based Polyurethanes. II. Influence of Soft-Segment Molecular Weight, 1575
—; Chen, L. W.: Study on Shape-Memory Behavior of Polyether-Based Polyurethanes. I. Influence of the Hard-Segment Content, 1563
Lin, K.-F.
—; Shieh, Y.-D.: Core–Shell Particles Designed for Toughening Epoxy Resins. I. Preparation and Characterization of Core–Shell Particles, 2069
Lin, T. See Gao, J., 791
Lindberg, H. See Oksman, K., 201
Lindhagen, J.
—; Berglund, L.: Microscopical Damage Mechanisms in Glass Fiber Reinforced Polypropylene, 1319
Litt, M. H. See Lee, J.-C., 2261
Liu, D. S. See Zhao, X. Y., 349
Liu, T.
—; Mo, Z.; Zhang, H.; Li, G.: Influence of Annealing on Structure of Poly(aryl ether ether ketone ketone) Revealed by SAXS, 1829
Liu, W. See Yu, L., 1099
Liu, W.-M. See Xue, Q.-J., 1393
Liu, Y. See Huang, Y., 1505
Liu, Y. See Xu, Y., 1
Lo, T.-Y.
—; Huang, S. K.: Synthesis and Thermally Stimulated Current Study of Molecular Relaxations of the Grafted Polymethylphenylsiloxane Segment in Thiodiphenol-Modified Epoxy Resin, 1523
Long, C. See Wang, S., 1557
Long, J.
—; Kaizhi, S.; Jiliang, J.; Qing, G.: A Mandrel-Rotating Die to Produce High-Hoop-Strength HDPE Pipe by Self-Reinforcement, 323
Low, H. Y. See Ishida, H., 2559
Lu, F. See Piao, M., 123
Lu, Y. See Okubo, M., 2221
Lu, Y. See Wang, H., 1679
Lucas, E. F. See Mansur, C. R. E., 2459
Luo, X. See Ma, D., 947
Lusinchi, J. M.
—; Pietrasanta, Y.; Robin, J. J.; Boutevin, B.: Recycling of PET and PVC Wastes, 657
Luukko, P.
—; Alvila, L.; Holopainen, T.; Rainio, J.; Pakkanen, T. T.: Optimizing the Conditions of Quantitative ^{13}C-NMR Spectroscopy Analysis for Phenol-Formaldehyde Resol Resins, 1805

Ma, C.-C. M.
—; Lee, C.-T.; Wu, H.-D.: Mechanical Properties, Thermal Stability, and Flame Retardance of Pultruded Fiber-Reinforced Poly(ethylene oxide)-Toughened Novolak-Type Phenolic Resin, 1129
—; Tseng, H.-T.; Wu, H.-D.: Blocked Diisocyanate Polyester-Toughened Novolak-Type Phenolic Resin: Synthesis, Characterization, and Properties of Composites, 1119
Ma, C.-C. M. See Shih, W.-C., 51
Ma, D.
—; Wang, M.; Wang, M.; Zhang, X.; Luo, X.: Compositional Heterogeneity, Thermostable, and Shape Memory Properties of Ethylene Oxide-Ethylene Terephthalate Segmented Copolymer with Long Soft Segment, 947
Ma, P. See Kim, H. S., 405
Maazouz, A. See Poisson, N., 2487
Maeda, Y.
—; Nakayama, A.; Arvanitoyannis, I.; Kawasaki, N.; Hayashi, K.; Aiba, S.; Yamamoto, N.: Synthesis and Biodegradation of Copolyesterether of Copoly(Succinic Anhydride/Ethylene Oxide) with Triblock Copolymer of Poly(oxyethylene)-Poly(oxypropylene)-Poly(oxyethylene), 303
Magagnini, P. L.
—; Pracella, M.; Minkova, L. I.; Miteva, Ts.; Sek, D.; Grobelny, J.; La Mantia, F. P.; Scaffaro, R.: Synthesis of PP–LCP Graft Copolymers and Their Compatibilizing Activity for PP/LCP Blends, 391
Mah, S.
—; You, D.; Cho, H.; Choi, S.; Shin, J.-H.: Photoinduced Living Cationic Polymerization of Tetrahydrofuran. I. Living Nature of the System and Its Application to the Diblock Copolymer Synthesis, 611
Mai, K.
—; Mei, Z.; Xu, J.; Zeng, H.: Effect of High-Performance Polymers on Crystallization and Multiple Melting Behavior of Poly(phenylene sulfide), 637
Maiti, S. N. See Dubey, V., 503

Maji, T. K. See Basu, D., 2585
Mallon, F.
—; Beers, K.; Ives, A.; Ray, W. H.: The Effect of the Type of Purge Gas on the Solid-State Polymerization of Polyethylene Terephthalate, 1789
Mallon, F. K.
—; Ray, W. H.: A Comprehensive Model for Nylon Melt Equilibria and Kinetics, 1213
—; Ray, W. H.: Enhancement of Solid-State Polymerization with Microwave Energy, 1203
—; Ray, W. H.: Modeling of Solid-State Polycondensation. I. Particle Models, 1233
—; Ray, W. H.: Modeling of Solid-State Polycondensation. II. Reactor Design Issues, 1775
Mandal, A. See Rana, A. K., 329
Mansour, O. Y.
—; Kamel, S.; Nassar, M. A.: Lignocellulosic Polymer Composite IV, 845
Mansur, C. R. E.
—; Spinelli, L. S.; Oliveira, C. M. F.; González, G.; Lucas, E. F.: Behavior of Aqueous Solutions of Poly(ethylene oxide-*b*-propylene oxide) Copolymers Containing a Hydrotropic Agent, 2459
Marais, C.
—; Villoutreix, G.: Analysis and Modeling of the Creep Behavior of the Thermostable PMR-15 Polyimide, 1983
Mark, J. E. See Apostolov, A. A., 495
Martuscelli, E. See Musto, P., 1029
Marushima, K. See Akutsu, F., 1737
Mas, A. See Carlotti, S., 2321
Masuko, T. See Nikkeshi, S., 2593
Mathakiya, I.
—; Vangani, V.; Rakshit, A. K.: Terpolymerization of Acrylamide, Acrylic Acid, and Acrylonitrile: Synthesis and Properties, 217
Mathew, T.
—; Kuriakose, S.: Copper(II) and Silver(II) Complexes of Polymer-Bound Porphyrins with Schiff Base Linkage, 89
Matsumura, H. See Saka, S., 1445
Matsuura, T. See Deng, S., 371
McCarthy, S. J. See Gunatillake, P. A., 1621
McEwan, I. See Grave, C., 2369
Mehdiabadi, S.
—; Nehzat, M. S.; Bagheri, R.: Correlating Viscosity in Urea–Formaldehyde Polymerization, 631
Mei, Z. See Mai, K., 637
Meijs, G. F. See Gunatillake, P. A., 1621
Meissner, B. See Karásek, L., 95

Mercimek, B. See Çengeloğlu, Y., 771
Meuldijk, J. See Kemmere, M. F., 2409
Mi, Y.
—; Zheng, S.; Chan, C.-M.; Guo, Q.: Blends of Phenolphthalein Poly(ether ether ketone) and a Thermotropic Liquid Crystalline Copolyester, 1923
Mi, Y. See Chen, X., 1891
Miček, I. See diŠvorčík, ee V., 1257
Middleton, J. C. See Muellerleile, J. T., 1675
Minkova, L. I. See Magagnini, P. L., 391
Miranda See d'Almeida, J. R. M., 1335
Mishra, R.
—; Rao, K. J.: Studies on Aluminum-Isopropoxide Doped Poly(ethylene oxide), Poly(vinyl alcohol), and Poly(ethylene oxide)-Poly(vinyl alcohol) Blends, 2147
Misra, B. N. See Kaur, I., 143, 599
Miteva, Ts. See Magagnini, P. L., 391
Mitra, B. C. See Rana, A. K., 329
Mitra, K.
—; Deb, K.; Gupta, S. K.: Multiobjective Dynamic Optimization of an Industrial Nylon 6 Semibatch Reactor Using Genetic Algorithm, 69
Mizumachi, H. See Kim, H.-J., 581
Mo, Z. See Liu, T., 1829
Mochizuki, A.
—; Senshu, K.; Seita, Y.; Fukuoka, T.; Yamashita, S.; Koshizaki, N.: Polyether-Segmented Nylon Hemodialysis Membrane. VI. Effect of Polyether Segment on Morphology and Surface Structure of Membrane, 1645
Mohamed, M. G.
—; Abd-El-Messieh, S. L.; El-Sabbagh, S.; Younan, A. F.: Electrical and Mechanical Properties of Polyethylene–Rubber Blends, 775
Mohammadi-Rovshandeh, J.
—; Farnia, S. M. F.; Sarbolouki, M. N.: In Vitro Degradation of Lactide–Glycolide Copolymers: PLA35GA30 (Note), 627
Mohanty, E.
—; Singh, B. C.: Graft Copolymerization of Methyl Methacrylate onto Jute Fiber Initiated by Cerium(IV)–DMSO Redox Initiator System, 2569
Mondragon, I. See Andrés, M. A., 183
Monteiro, S. N. See d'Almeida, J. R. M., 1335
Montemartini, P. E. See Vallo, C. I., 1367
Morales, E.
—; Acosta, J. L.: Morphological Properties of Composite Solid Polymer Electrolytes Based on Polyethylene Oxide, 2435
Morcellet, M. See Crini, G., 1419
Moreno-Villoslada, I. See Rivas, B. L., 817
Mousa, A.
—; Ishiaku, U. S.; Ishak, Z. A. M.: Oil-Resistance Studies of Dynamically Vulcanized Poly(vinyl chloride)/Epoxidized Natural Rubber Thermoplastic Elastomer, 1357
Mouzali, M. See Cherdoud-Chihani, A., 1167
Muellerleile, J. T.
—; Freeman, J. J.; Middleton,

J. C.: Effect of Calcium Fluoride Concentration on Nylon 6,6 Crystallization Behavior and Morphology (Note), 1675
Mukhopadhyay, S. K. See Law, S. J., 1459
Mülhaupt, R. See Stricker, F., 2499
Müller, B.
—; Paulus, A.; Lettmann, B.; Poth, U.: Amphiphilic Maleic Acid Copolymers as Corrosion Inhibitors for Aluminum Pigment, 2169
Murakami, T. See Nishioka, N., 2133
Muralidharan, M. See Agrawal, J. P., 7
Murugesan, V. See Devi, M. S., 1385
Musa, A. See Wan Ngah, W. S., 2305
Musil, V. See Radonjič, G., 2625
Musto, P.
—; Martuscelli, E.; Ragosta, G.; Russo, P.; Scarinzi, G.: An Interpenetrated System Based on a Tetrafunctional Epoxy Resin and a Thermosetting Bismaleimide: Structure–Properties Correlation, 1029

Nagata, M.
Synthesis, Characterization, and Degradation of α-Amino Acid Containing Polyamides (Note), 417
Naggi, A. See Crini, G., 1419
Nair, M. R. G. See Thomas, G. V., 785
Nakajima, N.
—; Varkey, J. P.: Effect of Polar Solvents on Dynamic Moduli of Concentrated Solutions of Polyethylacrylate, 1727
Nakamura, T. See Toi, K., 1013
Nakao, K. See Kihara, N., 1863
Nakatani, Y. See Gotoh, T., 895
Nakayama, A. See Maeda, Y., 303
Narkis, M. See Sagi-Mana, D., 2229
Narkis, M. See Titelman, G. I., 2205
Nassar, M. A. See Mansour, O. Y., 845
Nehzat, M. S. See Mehdiabadi, S., 631
Nho, Y. C. See Park, J. S., 2213
Nikkeshi, S.
—; Kudo, M.; Masuko, T.: Dynamic Viscoelastic Properties and Thermal Properties of Ni Powder–Epoxy Resin Composites, 2593
Ni, X. See Saito, R., 211
Nishi, T. See Lee, J.-C., 193
Nishioka, N.
—; Hamabe, S.; Murakami, T.; Kitagawa, T.: Thermal Decomposition Behavior of Miscible Cellulose/Synthetic Polymer Blends, 2133
Nomura, M. See Kodani, T., 565, 573
Nourmamode, A. See Ruffin, B., 2517
Nováková, V. See diStehlíček, ee J., 2139
Nowakowska, M. See Bosowska, K., 1005

Ogawa, T.
—; Inoue, A.; Osawa, S.: Effect of Water on Viscoelastic Properties of Oriental Lacquer Film, 315
Oh, K. S.
—; Bae, Y. C.: Swelling Behavior of Submicron Gel Particles, 109
Oikawa, E.
—; Tatsumi, H.; Takano, C.; Kaneko, T.; Aoki, T.: Pervaporation and Solute Separation Through Semi-Interpenetrating and Interpenetrating Polymer Network Membranes Prepared from Poly(4-vinylpyridine) and Poly(glycidyl Methacrylate), 1953
Okabe, T. See Kodani, T., 565
Oksman, K.
—; Lindberg, H.; Holmgren, A.: The Nature and Location of SEBS–MA Compatibilizer in Polyethylene–Wood Flour Composites, 201
Okubo, M.
—; Lu, Y.: Formation of Microheterogeneous Film from Composite Polymer Emulsion Prepared by the Stepwise Heterocoagulation Method, 2221
Oliveira, A. T. M.
—; Biscaia, E. C., Jr.; Pinto, J. C.: Optimization of Batch Solution Polymerizations: Simulation Studies Using an Inhibitor and a Chain-Transfer Agent, 1137
Oliveira, C. M. F. See Costa, D. A., 129, 857
Oliveira, C. M. F. See Mansur, C. R. E., 2459
Onuoha, G. C. See Uzomah, T. C., 667
Orbay, M. See Güçlü, G., 2311
Osawa, S. See Ogawa, T., 315
Ou, Y. See Yang, F., 355
Ou, Y.-C. See Yu, Z.-Z., 1711
Özarslan, Ö. See Yilmaz, T., 1837
Özbudak, S. See Güçlü, G., 2311
Özdeğer, E.
—; Sudol, E. D.; El-Aasser, M. S.; Klein, A.: Role of Mixing in Copolymerizations of Styrene and *n*-Butyl Acrylate, 2277
Özgümüş, S. See Güçlü, G., 2311

Pakkanen, T. T. See Holopainen, T., 2175
Pakkanen, T. T. See Luukko, P., 1805
Paleos, C. M. See Haralabakopoulos, A. A., 1885
Palmetshofer, L. See diŠvorčík, ee V., 1257
Pan, C.-Y. See He, W.-D., 619
Pandey, G. C. See Zimmering, B. L., 1875
Pang, H. See Tang, J., 1159
Papadokostaki, K. G.
—; Amarantos, S. G.; Petropoulos, J. H.: Kinetics of Release of Particulate Solutes Incorporated in Cellulosic Polymer Matrices as Function of Solute Solubility and Polymer Swellability. II. Highly Soluble Solute, 1275
Paredes, N.
—; Rodriguez-Galán, A.; Puiggalí, J.; Peraire, C.: Studies on the Biodegradation and Biocompatibility of a New Poly(ester amide) Derived from L-Alanine, 1537

Park, C. C. See Kim, H. D., 1349
Park, J.-G.
—; Kim, J.-Y.; Suh, K.-D.: Preparation of Toughened PMMA Through PEG-Modified Urethane Acrylate/PMMA Core–Shell Composite Particles, 2291
Park, J. S.
—; Kim, J. H.; Nho, Y. C.; Kwon, O. H.: Antibacterial Activities of Acrylic Acid-Grafted Polypropylene Fabric and Its Metallic Salt, 2213
Park, L.-S.
—; Lee, D.-C.; Kil, Y.-S.; Ahn, T.-O.: Synthesis of Liquid Crystalline Polyesterimides by Melt Polymerization and Its Application to Polymer-Dispersed Liquid Crystal, 1517
Park, Y. H. See Lee, Y., 2641
Patel, A. C.
—; Brahmbhatt, R. B.; Jain, R. C.; Devi, S.: Grafting of 2-HEMA on IPP and *In Situ* Chlorinated PP Through Solution Polymerization, 2107
Paul, D. See Huang, Q., 1753
Paulus, A. See Müller, B., 2169
Pekel, N.
—; Guven, O.: Fourier Transform Infrared-Photoacoustic Spectroscopy of Poly(*N*-Butyl Methacrylate) Adsorbed from Solution on Alumina, 1669
Pemberton, L.
—; De Jaeger, R.; Gengembre, L.: Surface Grafting of a Poly(organophosphazene) onto Poly(vinyl alcohol) and Poly(ethylene-*co*-vinyl alcohol) Using Triethoxysilane as a Coupling Agent, 1965
Peng, W.
—; Chen, D.; Zhou, Z.; Zhong, A.; Du, Z.: Studies on Curing Behavior and Molecular Motion of Polyacrylate/Epoxy-Amine Adduct Complex System with Additional Crosslinker, 247
Peraire, C. See Paredes, N., 1537
Pertsin, A. J. See Gorelova, M. M., 2349
Pethrick, R. A. See Grave, C., 2369
Petropoulos, J. H. See Papadokostaki, K. G., 1275
Petrovan, S. See Collier, J. R., 2357
Piao, M.
—; Wan, M.; Lu, F.: Electrical Properties and Structural Characterizations of Polyphenylquinoxaline Pyrolyzed at High Temperature, 123
Pielichowski, J. See Pielichowski, K., 451
Pielichowski, K.
—; Czub, P.; Pielichowski, J.: Characterization of the Cure of Some Epoxides and Their Sulphur-Containing Analogues with Hexahydrophthalic Anydride by DSC and TGA, 451
Pietrasanta, Y. See Lusinchi, J. M., 657
Pinto, J. C. See Oliveira, A. T. M., 1137
Plessier, C.
—; Gupta, B.; Chapiro, A.: Modification of Polypropylene Fiber by Radiation-Induced Graft Copolymerization of Acrylonitrile Monomer, 1343
Po, R. See Apicella, B., 2423
Poh, B. T.
—; Wong, K. W.: Effect of Blend Ratio on Mooney Scorch Time of Rubber Blends, 1301
Poisson, N.
—; Maazouz, A.; Sautereau, H.; Taha, M.; Gambert, X.: Curing of Dicyandiamide Epoxy Resins Accelerated with Substituted Ureas, 2487
Pollicino, A. See Bottino, F. A., 1251
Poth, U. See Müller, B., 2169
Pracella, M. See Magagnini, P. L., 391
Pu, T. S. See Tong, Z. S., 1743
Princy, K. G.
—; Joseph, R.; Kartha, C. S.: Studies on Conductive Silicone Rubber Compounds, 1043
Puffr, R. See Stehlíček, J., 2139
Puiggalí, J. See Paredes, N., 1537
Puma, M.
—; Suárez, N.: High Temperature Signals for Thermal-Stimulated Polarization and Depolarization Experiments in Poly(DTH succinate), 283
Puma, M. See Suárez, N., 293

Qi, H. See Tang, J., 1159
Qi, Z. See Wang, S., 1557
Qing, G. See Long, J., 323
Qiu, G.
—; Tang, Z.-L.; Huang, N.-X.; Gerking, L.: Dual Melting Endotherms in the Thermal Analysis of Poly(ethylene terephthalate), 729
Qunji, X. See Jun, T., 435

Raab, M.
—; Kotek, J.; Baldrian, J.; Grellman, W.: Toughness Profile in Injection-Molded Polypropylene: The Effects of the β-Modification, 2259
Radonjič, G.
—; Musil, V.; Šmit, I.: Compatibilization of Polypropylene/Polystyrene Blends with Poly(Styrene-*b*-Butadiene-*b*-Styrene) Block Copolymer, 2625
Ragosta, G. See Musto, P., 1029
Rainio, J. See Holopainen, T., 2175
Rainio, J. See Luukko, P., 1805
Rai, S. See Bajpai, A., 751
Rakshit, A. K. See Mathakiya, I., 217
Ramaswamy, R. See Achary, P. S., 1187
Rana, A. K.
—; Mandal, A.; Mitra, B. C.; Jacobson, R.; Rowell, R.; Banerjee, A. N.: Short Jute Fiber-Reinforced Polypropylene Composites: Effect of Compatibilizer, 329
Rana, D.
—; Lee, C. H.; Cho, K.; Lee, B. H.; Choe, S.: Thermal and Mechanical Properties for Binary Blends of Metallocene Polyethylene with Conventional Polyolefins, 2441

Rana, S. K.
Curing Characteristics and Mechanical Properties of Vinyltriethoxy-Silane-Coupled Carbon Black/Styrene–Butadiene Rubber Vulcanizates, 1719
Crystallization of High-Density Polyethylene–Linear Low-Density Polyethylene Blend, 2599
Rao, K. J. See Mishra, R., 2147
Rao, M. R. See Rao, V. L., 743
Rao, N. B. S. N. See Dubey, V., 503
Rao, V. L.
—; Rao, M. R.: Synthesis and Characterization of Poly(ether sulfone) Copolymers, 743
Ray, W. H. See Mallon, F., 1789
Ray, W. H. See Mallon, F. K., 1775, 1203, 1213, 1233
Recca, A. See Bottino, F. A., 1251
Rengaraj, K. See Devi, M. S., 1385
Revel'skaya, L. G. See Buyanov, A. L., 761
Rhee, H.-K. See Ahn, S.-M., 59
Riela, S. See Ruffin, B., 2517
Rivas, B. L.
—; Moreno-Villoslada, I.: Poly[acrylamide-*co*-1-(2-hydroxyethyl)aziridine]: An Efficient Water-Soluble Polymer for Selective Separation of Metal Ions, 817
Robin, J. J. See Lusinchi, J. M., 657
Roda, J. See Stehlíček, J., 2139
Rodriguez-Galán, A. See Paredes, N., 1537
Rogers, C. E. See Lee, J.-C., 2261
Rogers, C. E. See Shin, H. S., 479
Romanoschi, O. See Collier, J. R., 2357
Rowell, R. See Rana, A. K., 329
Rozman, H. D.
—; Kon, B. K.; Abusamah, A.; Kumar, R. N.; Ishak, Z. A. M.: Rubberwood–High-Density Polyethylene Composites: Effect of Filler Size and Coupling Agents on Mechanical Properties, 1993
Ruckenstein, E.
—; Yuan, Y.: Molten Ring-Open Copolymerization of L-Lactide and Cyclic Trimethylene Carbonate, 1429
Rudolf, P. W. See Babb, D. A., 2005
Ruffin, B.
—; Castellan, A.; Grelier, S.; Nourmamode, A.; Riela, S.; Trichet, V.: Evaluation of the Contribution of Lignin Stilbene Phenol Units in the Photoyellowing of Peroxide-Bleached Lignin-Rich Pulps, 2517
Russo, P. See Musto, P., 1029
Rybka, V. See diŠvorčík, ee V., 1257

Saad, A. L. G.
—; Hussien, L. I.; Ahmed, M. G. M.; Hassan, A. M.: Studies of Electrical and Mechanical Properties of Semiconductive Poly(vinyl chloride) Compositions, 685
Sabane, J. V. See Agrawal, J. P., 7
Saby, A.-C. See Bouchard, C., 2235
Sagi-Mana, D.
—; Narkis, M.; Siegmann, A.; Joseph, R.; Dodiuk, H.: The Effect of Marine Environment on a Vinyl Ester Resin and its Highly Filled Particulate Quartz Composites, 2229
Saito, R.
—; Ni, X.; Ichimura, A.; Ishizu, K.: Synthesis of Core–Shell Type Microsphere with Reactive Seed Microspheres, 211
Saka, S.
—; Takanashi, K.; Matsumura, H.: Effects of Solvent Addition to Acetylation Medium on Cellulose Triacetate Prepared from Low-Grade Hardwood Dissolving Pulp, 1445
Sakai, H. See Kodani, T., 565, 573
Sakohara, S. See Gotoh, T., 895
Sanches, N. B. See Gorelova, M. M., 2349
Santacesaria, E. See Apicella, B., 2423
Sarbolouki, M. N. See Mohammadi-Rovshandeh, J., 627
Sato, T.
—; Umenoki, T.; Seno, M.: Formation of Poly(Methyl Methacrylate) with Novel Solubility Characters in the Photopolymerization with Bis(cyclopentadienyl)titanium Dichloride in a Water–Methanol Mixture, 525
Sautereau, H. See Poisson, N., 2487
Saxena, M. See Gowri, V. S., 487
Scaffaro, R. See Magagnini, P. L., 391
Scarinzi, G. See Musto, P., 1029
Scheirs, J.
—; Camino, G.; Avidano, M.; Tumiatti, W.: Origin of Furanic Compounds in Thermal Degradation of Cellulosic Insulating Paper, 2541
Scheirs, S. See Commereuc, S., 1107
Schlup, J. R. See Shen, Z., 1019
Seibig, B. See Huang, Q., 1753
Seita, Y. See Mochizuki, A., 1645
Sek, D. See Magagnini, P. L., 391
Seldén, R.
The Effect of Water Immersion on Fatigue Crack Growth of Two Engineering Rubbers, 941
Seno, M. See Sato, T., 525
Senshu, K. See Mochizuki, A., 1645
Shaffer, O. L. See Xu, J., 977
Shanahan, M. E. R. See Xiao, G. Z., 363
Shanbhag, P. V.
—; Sirkar, K. K.: Ozone and Oxygen Permeation Behavior of Silicone Capillary Membranes Employed in Membrane Ozonators, 1263
Shao, Z. See Sun, Y., 1089
Sheng, J. See Yuan, X., 1907, 1917
Shen, N. See Yuan, X., 1907, 1917
Shen, W. See Wang, Q., 135, 2341
Shen, W.-C. See Xue, Q.-J., 1393

Shen, Z.
—; Schlup, J. R.; Fan, L. T.: Synthesis and Characterization of Leather Impregnated with Bismaleimide (BMI)–Jeffamine® Resins, 1019
Shen, Z.-Q. See Wang, X.-P., 2035
Sherriff, N. See Gunatillake, P. A., 1621
Shestakova, A. S. See Buyanov, A. L., 761
Shieh, Y.-D. See Lin, K.-F., 2069
Shieh, Y.-T.
—; Tsai, T.-H.: Silane Grafting Reactions of Low-Density Polyethylene, 255
Shih, W.-C.
—; Ma, C.-C. M.: Tetrafunctional Aliphatic Epoxy I. Synthesis and Characterization, 51
Shin, D. See Lee, Y., 2641
Shin, H. S.
—; Kim, S. Y.; Lee, Y. M.; Lee, K. H.; Kim, S. J.; Rogers, C. E.: Permeation of Solutes Through Interpenetrating Polymer Network Hydrogels Composed of Poly(vinyl alcohol) and Poly(acrylic acid), 479
Shin, J.-H. See Mah, S., 611
Shinmura, T. See Jar, P.-Y. B., 513
Shiraishi, N. See Akutsu, F., 1737
Shkolnik, T.
—; Weil, E. D.: Stabilization of Alternating Carbon Monoxide–Ethylene Copolymer, 1691
Shlyapnikov, Yu. A.
—; Kolesnikova, N. N.: Physical Chemistry of Topological Disorder in Polymers: Reconstruction of Sorption Centers and Antioxidant Effectivity in Isotactic Polypropylene, 1847
Shon, K. H. See Jin, D. W., 533
Siegmann, A. See Sagi-Mana, D., 2229
Siegmann, A. See Titelman, G. I., 2205
Singh, B. C. See Mohanty, E., 2569
Šípek, M. See Horák, Z., 2615
Sirkar, K. K. See Shanbhag, P. V., 1263
Šmit, I. See Radonjič, G., 2625
Smith, D. W., Jr. See Babb, D. A., 2005
Soares, B. G.
—; Gamboa, K. M. N.; Ferreira, A. J. B.; Ueti, E.; Camargo, S. S., Jr.: Effect of the Mold Temperature on the Electrical Properties of Carbon-Black-Loaded Polystyrene/SB Block Copolymer Blends, 825
Sokkar, T. Z. N. See Hamza, A. A., 1495
Son, Y. See Lee, Y., 2641
Spinelli, L. S. See Mansur, C. R. E., 2459
Spychaj, T. See Bartkowiak, A., 2549
Sreenivasan, K.
Synthesis and Preliminary Studies on a β-Cyclodextrin-Coupled Chitosan as a Novel Adsorbent Matrix, 1051
St. Clair, A. K. See Fay, C. C., 2383
Stehlíček, J.
—; Puffr, R.; Lednický, F.; Nováková, V.; Roda, J.: Low-Filled Toughened Composites of Poly(hexano-6-lactam)-*block*-polybutadiene-*block*-poly(hexano-6-lactam)/Wollastonite by Polymerization Casting, 2139
Strathmann, H. See Kools, W. F. C., 2013
Stricker, F.
—; Friedrich, C.; Mülhaupt, R.: Influence of Morphology on Rheological and Mechanical Properties of SEBS-Toughened, Glass-Bead-Filled Isotactic Polypropene, 2499
Suárez, N.
—; Puma, M.: Aging Effects in Poly(DTH succinate) Observed with Thermal-Stimulated Polarization and Depolarization Experiments, 293
Suárez, N. See Puma, M., 283
Sudol, E. D. See Özdeğer, E., 2277
Sudol, E. D. See Xu, J., 965, 977, 985
Suh, K.-D. See Kim, J.-W., 1079
Suh, K.-D. See Park, J.-G., 2291
Sumita, M. See Zhang, C., 1813
Sun, J. See Feng, Y., 2303
Sun, Q. See Zhang, D., 421
Sun, Y.
—; Shao, Z.; Zhou, J.; Yu, T.: Compatibilization of Acrylic Polymer-Silk Fibroin Blend Fibers. 1. Graft Copolymerization of Acrylonitrile onto Silk Fibroin, 1089
Švorčík, V.
—; Miček, I.; Rybka, V.; Palmetshofer, L.; Hnatowicz, V.: Ion Beam Ablation of Polytetrafluoroethylene, 1257

Taha, M. See Poisson, N., 2487
Takahashi, K. See Jar, P.-Y. B., 513
Takahashi, T.
—; Takimoto, J.-I.; Koyama, K.: Elongational Viscosities of Random and Block Copolymer Melts, 1765
Takanashi, K. See Saka, S., 1445
Takano, C. See Oikawa, E., 1953
Takayama, A. See Kodani, T., 573
Takimoto, J.-I. See Takahashi, T., 1765
Tan, Y.
—; Zhang, L.; Li, Z.: Synthesis and Characterization of New Amphoteric Graft Copolymer of Sodium Carboxymethyl Cellulose with Acrylamide and Dimethylaminoethyl Methylacrylate, 879
Tang, J.
—; Hu, K.; Fu, S.; Qi, H.; Cui, W.; Jia, Z.; Li, K.; Pang, H.; Wang, F.: Relationship Between Structures of Polyacrylonitrile (PAN)–Copper Gradient Composite Film and Electrochemical-Reaction Conditions, 1159
Tang, Y. See Yuan, X., 1907
Tang, Z.-L. See Qiu, G., 729
Tasaka, S. See Inagaki, N., 1179
Tatsumi, D.
—; Yamauchi, T.: Application of ATR–FTIR Spectroscopy Combined with Sputter Etching for Depth Profiling of

a Chemical Additive within a Pulp Fiber, 461
Tatsumi, H. See Oikawa, E., 1953
Tavares, M. I. B. See Costa, D. A., 129
Thomas, G. V.
—; Nair, M. R. G.: Ultrasonic Investigation on Compatibility of PVC-Modified Liquid Natural Rubber Blends, 785
Thomas, S. See Asaletha, R., 2673
Titelman, G. I.
—; Siegmann, A.; Narkis, M.; Wei, Y.: Morphology of Polyaniline Redoped by Kneading with Dodecylbenzene Sulfonic Acid, 2205
Toi, K.
—; Nakamura, T.; Ito, T.; Kasai, T.: Diffusion and Sorption for Carbon Dioxide in Kapton at Extremely Low Pressure, 1013
Tong, Z. S.
—; Wu, M. Z.; Pu, T. S.; Zhang, Z. Y.; Zhang, J.; Jin, R. P.; Zhu, D. Z.; Zhu, F. Y.; Cao, D. X.; Cao, J. Q.: The Conductive Behavior and Structural Characteristics in the I^+ Beam-Implanted Layer of Plasma-polymerized Pyrrole Film, 1743
Torri, G. See Crini, G., 1419
Tremblay, A. See Deng, S., 371
Trichet, V. See Ruffin, B., 2517
Trzeszczyński, J. See Dzięcioł, M., 2377
Tsai, T.-H. See Shieh, Y.-T., 255
Tseng, H.-T. See Ma, C.-C. M., 1119
Tsiourvas, D. See Haralabakopoulos, A. A., 1885
Tsukada, M.
—; Imai, T.; Freddi, G.; Lenka, S.; Kasai, N.: Grafting of Vinyl Monomers onto Silk Using Redox Systems. Yellowing of Silk, 239
Tucker, P. A. See Hotter, J. F., 2051, 2115
Tumiatti, W. See Scheirs, J., 2541
Türker, F. See Usanmaz, A., 1409

Ueti, E. See Soares, B. G., 825
Ulutan, S.
A Recycling Assessment of PVC Bottles by Means of Heat Impact Evaluation on Its Reprocessing, 865
Umenoki, T. See Sato, T., 525
Unuoha, G. C. See Uzomah, T. C., 2533
Usanmaz, A.
—; Türker, F.; Doğan, A.; Akkas, N.: Thermal and Mechanical Properties of Poly(methyl methacrylate) Used as Dental Base Material, 1409
Uzomah, T. C.
—; Onuoha, G. C.: Natural Weathering of Polypropylene Films. I. Exposure Time and Yield Properties, 667
—; Unuoha, G. C.: Natural Weathering of Polypropylene Films. Ultimate Properties and Exposure Time, 2533

Valea, A. See Andrés, M. A., 183
Vallo, C. I.
—; Montemartini, P. E.; Cuadrado, T. R.: Effect of Residual Monomer Content on Some Properties of a Poly(methyl methacrylate)-Based Bone Cement, 1367
Van den Boomgaard, Th. See Kools, W. F. C., 2013
Vangani, V. See Mathakiya, I., 217
Varkey, J. P. See Nakajima, N., 1727
Vecchi, C. See Crini, G., 1419
Večerka, F. See Horák, Z., 2615
Venugopalan, S. See Agrawal, J. P., 7
Verdu, J. See Deslandes, N., 2663
Verney, V. See Commereuc, S., 1107
Villemagne, P. See Gauthier, H., 2195
Villoutreix, G. See Marais, C., 1983
Vincent, M. F. See West, B. L., 911
Visconte, L. L. Y.
—; Andrade, C. T.; Azuma, C.: UV-Light Induced Crosslinking Reaction of Cinnamate Natural Rubbers: Effect of the Spacer Length, Counter-Ion Nature, and Content, 907
Volkov, I. O. See Gorelova, M. M., 2349

Wadsworth, L. See Zhang, D., 421
Wagner, Ö.
—; Kenessey, G.: A New Catalytic Method for Crosslinking of Silicone Polymers, 1705
Wan, M. See Piao, M., 123
Wan Ngah, W. S.
—; Musa, A.: Adsorption of Humic Acid onto Chitin and Chitosan, 2305
Wang, F. See Tang, J., 1159
Wang, H.
—; Chen, W.: Effect of Penta- and Tetramethyl HALS on the Radiation Resistance of Polypropylene, 2649
—; Li, W.; Lu, Y.; Wang, Z.: Erratum to "Studies on Chitosan and Poly(acrylic acid) Interpolymer Complex. I. Preparation, Structure, pH-sensitivity, and Salt Sensitivity of Complex-Forming Poly(acrylic acid): Chitosan Semi-Interpenetrating Polymer Network", 1679
Wang, M. See Chen, H.-Z., 2609
Wang, M. See Ma, D., 947
Wang, M. See Xu, Z.-K., 1403
Wang, N. H. See Kuo, Y. M., 2097
Wang, Q.
—; Xue, Q.; Shen, W.: The Tribological Properties of SiC Whisker-Reinforced Polyetheretherketone, 2341
—; Xue, Q.; Shen, W.; Zhang, J.: The Friction and Wear Properties of Nanometer ZrO_2-Filled Polyetheretherketone, 135
Wang, R.-M. See Wang, Y.-P., 835
Wang, S.
—; Long, C.; Wang, X.; Li, Q.; Qi, Z.: Synthesis and Properties of Silicone Rubber/

Organomontmorillonite Hybrid Nanocomposites, 1557
Wang, T. See Zhang, B.-L., 339
Wang, T.-L. See Kuo, P.-L., 1635
Wang, W. See Gao, J., 791
Wang, X. See Wang, S., 1557
Wang, X.-P.
—; Shen, Z.-Q.; Zhang, F.-Y.: Pervaporation Separation of Water/Alcohol Mixtures Through Hydroxypropylated Chitosan Membranes, 2035
Wang, Y.-P.
—; Lei, Y.-H.; Wang, R.-M.: Ternary Copolymer of Poly(ethylene oxide), Terephthalyl Chloride, and Lithium 2,5-Diaminobenzene Sulfonate for Ionic Conduction, 835
Wang, Z. See Wang, H., 1679
Wazeer, M. I. M. See Ali, Sk. A., 1329
Wei, Y. See Titelman, G. I., 2205
Weil, E. D. See Shkolnik, T., 1691
West, B. L.
—; Kazarian, S. G.; Vincent, M. F.; Brantley, N. H.; Eckert, C. A.: Supercritical Fluid Dyeing of PMMA Films with Azo-Dyes, 911
Wong, K. W. See Poh, B. T., 1301
Wu, H. See Gopala, A., 469
Wu, H.-D. See Ma, C.-C. M., 1119, 1129
Wu, H.-L. See Hong, P.-D., 2477
Wu, J. See Xu, Y., 1
Wu, M. Z. See Tong, Z. S., 1743

Xiao, G. Z.
—; Shanahan, M. E. R.: Irreversible Effects of Hygrothermal Aging on DGEBA/DDA Epoxy Resin, 363
Xu, J.
—; Dimonie, V. L.; Sudol, E. D.; El-Aasser, M. S.: Crosslinking of Isocyanate Functional Acrylic Latex with Telechelic Polybutadiene. I. Synthesis and Characterization, 965
—; Dimonie, V. L.; Sudol, E. D.; Klein, A.; El-Aasser, M. S.: Crosslinking of Isocyanate Functional Acrylic Latex with Telechelic Polybutadiene. III. Application of a Diffusion Model, 985
—; Dimonie, V. L.; Sudol, E. D.; Shaffer, O. L.; El-Aasser, M. S.: Crosslinking of Isocyanate Functional Acrylic Latex with Telechelic Polybutadiene. II. Film Formation/Crosslinking, 977
Xu, J. See Mai, K., 637
Xu, R.-S. See Chen, H.-Z., 2609
Xu, Y.
—; Liu, Y.; Wu, J.; Zhu, D.: Preparation and Electrical Conductivity of Langmuir–Blodgett Films of Poly(3-alkylthiophene)s, 1
Xu, Y.-Y. See Xu, Z.-K., 1403
Xu, Z.-K.
—; Xu, Y.-Y.; Wang, M.: Photoconductive Studies on Langmuir-Blodgett Multilayers of a Copolyimide Containing Phthalocyanine and Carbazole, 1403
Xue, Q. See Wang, Q., 135, 2341
Xue, Q. See Yu, L., 1099
Xue, Q.-J.
—; Zhang, Z.-Z.; Liu, W.-M.; Shen, W.-C.: Friction and Wear Characteristics of Fiber- and Whisker-Reinforced PTFE Composites under Oil Lubricated Conditions, 1393

Yakusheva, D. See Gavrilov, N., 1071
Yamamoto, N. See Maeda, Y., 303
Yamashita, S. See Mochizuki, A., 1645
Yamauchi, T. See Tatsumi, D., 461
Yamazaki, A. See Hamada, K., 2247
Yamuna, V. See Krishnan, V. K., 1153
Yang, C.-H. See Yang, H.-J., 551
Yang, F.
—; Ou, Y.; Yu, Z.: Polyamide 6/Silica Nanocomposites Prepared by *In Situ* Polymerization, 355
Yang, H.-J.
—; Yang, C.-H.: Statistical Experimental Strategies Approach to Emulsion Copolymerization of Styrene and *n*-Butyl Acrylate, 551
Yang, K. See Zhong, Z., 995
Yang, S. See Huang, P. C., 443
Yang, Y. See Zhuang, G., 589
Yang, Y. C. See Chen-Yang, Y. W., 115
Yaung, J.-F.
—; Kwei, T. K.: pH-Sensitive Hydrogels Based on Polyvinylpyrrolidone–Polyacrylic Acid (PVP–PAA) Semi-Interpenetrating Networks (Semi-IPN): Swelling and Controlled Release, 921
Yeom, C. K.
—; Lee, K.-H.: Characterization of Permeation Behaviors of Ethanol–Water Mixtures through Sodium Alginate Membrane with Crosslinking Gradient during Pervaporation Separation, 1607
Yi, X.-S. See Zhang, C., 1813
Yildiz, E. See Yilmaz, T., 1837
Yilmaz, T.
—; Özarslan, Ö.; Yildiz, E.; Kuyulu, A.; Ekinci, E.; Güngör, A.: Effects of Nonreactive Resins on the Properties of a UV-Curable Methacrylated Urethane Resin, 1837
You, D. See Mah, S., 611
You, Y.-C. See Zhang, B.-L., 339
Younan, A. F. See Mohamed, M. G., 775
Yu, J. See Gao, J., 791
Yu, L.
—; Liu, W.; Xue, Q.: Transition between Transient and Steady-State Wear in the Sliding of Poly(phenylene sulfide) against a Tool Steel Counterface, 1099
Yu, T. See Sun, Y., 1089
Yu, T. L. See Chen, J. S., 871
Yu, Z. See Yang, F., 355
Yu, Z.-Z.
—; Ou, Y.-C.; Hu, G.-H.: Influence of Interfacial Adhesion on Toughening of Polyethylene–Octene Elastomer/Nylon 6 Blends, 1711
Yuan, X.
—; Sheng, J.; He, F.; Tang, Y.;

Shen, N.: Surface Modification of Acrylonitrile Copolymer Membranes by Grafting Acrylamide. II. Initiation by Fe^{2+}/H_2O_2, 1907
—; Sheng, J.; Shen, N.: Surface Modification of Acrylonitrile Copolymer Membranes by Grafting Acrylamide. III. Kinetics and Reaction Mechanism Initiating by Fe^{2+}/H_2O_2, 1917
Yuan, Y. See Ruckenstein, E., 1429
Yui, H. See Zhang, C., 1813

Zeng, H. See Mai, K., 637
Zhang, B.-L.
—; Zhang, H.-Q.; You, Y.-C.; Du, Z.-J.; Ding, P.-Y.; Wang, T.; Huang, J.-F.: Application of a Series of Novel Chain-Extended Ureas as Latent-Curing Agents and Toughening Modifiers for Epoxy Resin, 339
Zhang, C.
—; Yi, X.-S.; Yui, H.; Asai, S.; Sumita, M.: Morphology and Electrical Properties of Short Carbon Fiber-Filled Polymer Blends: High Density Polyethylene/Poly(methyl methacrylate), 1813
Zhang, D.
—; Sun, Q.; Bhat, G.; Wadsworth, L.: Structure and Property Characterization of Spunbonded Filaments and Webs Using Thermal Analysis, 421
Zhang, F.-Y. See Wang, X.-P., 2035
Zhang, H. See Liu, T., 1829
Zhang, H.-Q. See Zhang, B.-L., 339
Zhang, J. See Tong, Z. S., 1743
Zhang, J. See Wang, Q., 135
Zhang, J. See Zhuang, G., 589
Zhang, L. See Feng, Y., 2303
Zhang, L. See Tan, Y., 879
Zhang, M. See Chen, T., 887
Zhang, X. See Ma, D., 947
Zhang, Y.
—; Hourston, D. J.: Rigid Interpenetrating Polymer Network Foams Prepared from a Rosin-Based Polyurethane and an Epoxy Resin, 271
Zhang, Z. Y. See Tong, Z. S., 1743
Zhang, Z.-Z. See Xue, Q.-J., 1393
Zhao, C. See Cao, W., 1975
Zhao, C. See Huang, Y., 1505
Zhao, X. Y.
—; Du, Y.; Liu, D. S.; Zhou, Q. X.: Synthesis and Characterization of Semi-Interpenetrating Liquid Crystalline Polymer Networks LCP/PAN, 349
Zheng, S.
—; Huang, J.; Li, J.; Guo, Q.: Phase Behavior and Properties of Poly(methyl methacrylate)/Poly(vinyl acetate) Blends Prepared via *In Situ* Polymerization, 675
Zheng, S. See Mi, Y., 1923
Zheng, S. See Zhong, Z., 995
Zhong, A. See Peng, W., 247
Zhong, A. See Zhong, B., 1855
Zhong, B.
—; Chen, D.; Zhou, Z.: Curing Behavior of Self-Crosslinkable Polyacrylate Coating: TBA and *In Situ* FTIR Studies, 1599
—; Chen, D.; Zhou, Z.; Zhong, A.; Du, Z.: Studies on Complex Multilayer Structure of Acrylic–Epoxy Resin, 1855
Zhong, Z.
—; Zheng, S.; Yang, K.; Guo, Q.: Miscibility, Phase Behavior, and Mechanical Properties of Ternary Blends of Poly(vinyl chloride)/Polystyrene/Chlorinated Polyethylene-*graft*-Polystyrene, 995
Zhou, G. See Huang, P. C., 443
Zhou, J. See Sun, Y., 1089
Zhou, Q. X. See Zhao, X. Y., 349
Zhou, Y.-F. See He, W.-D., 619
Zhou, Z. See Peng, W., 247
Zhou, Z. See Zhong, B., 1599, 1855
Zhu, D. See Xu, Y., 1
Zhu, D. Z. See Tong, Z. S., 1743
Zhu, F. Y. See Tong, Z. S., 1743
Zhuang, G.
—; Gui, Y.; Yang, Y.; Li, B.; Zhang, J.: Tremolite-Reinforced Nylon 66 Composites: Mechanical and Rheological Properties, 589
Zimmering, B. L.
—; Kumar, A.; Boccara, A. C.; Pandey, G. C.: Photophysical and Photodecomposition Studies on Polyethylenes: A Novel Application of Gas-Phase Mirage-Effect Spectroscopy, 1875

Journal of Applied Polymer Science

Subject Index to Volume 69

Abrasive wear, 2341
ABS, 533
Accelerated degradation, 791
Accelerated weathering, 1251
Acetylation, 1445
Acetylene black, 1043
Acid dye, 2247
Acid scavengers, 1691
Acrylamide, 443, 1907, 1917
Acrylate rubber, 2331
Acrylic acid, 2213
Acrylic fibers, 1459
Acrylic polymer-silk fibroin blend fibers, 1089
Acrylic pressure-sensitive adhesive (PSA), 581
Acrylic–epoxy resin, 1855
Acrylonitrile, 573, 1343
Acrylonitrile copolymer membranes, 1907, 1917
Acrylonitrile–pentyl methacrylate (A–P) copolymers, 2507
4-Acryloxyethyltrimellitic acid, 1057
Activated sludge, 303
Activation energy, 743
Adhesion, 1057, 2321
Adhesive, 405, 1737
Adsorption, 95, 2305, 2549
Aggregate, 543
Aging, 1153
Aging effects, 293
Aliphatic acids, 1885
Alkali-soluble random copolymer, 543
Alkyaminopyridine functions, 2303
Alkylphosphate-type polyols, 1635
α-Amino acid, 417
α-Amino acid-containing polyamides, 417
Alumina, 1669
Aluminum pigment, 2169
Amide groups, 45
Amino terminated polybutadiene, 965
Amphiphilic block copolymer, 443
Amphoteric, 879
Anhydride, 1167
Anionic ligands, 771
Anisotropy, 1495
Annealing, 1495, 1829, 2657
Antioxidant concentration, 1847
Antioxidants, 1691
Aqueous alkaline media, 2169
Aqueous solutions, 2459
Aromatic diamines, 1737
Aromatic polyamide film, 1179
Aromatic polyimide, 1403
As-spun filaments, 2115
Atactic polypropylene, 1681
Autoclave-processable, 469
Auxiliary, 2247

Bamboo, 1891
Bamboo surfaces, 487
Batch free-radical polymerization, 59
Benzoxazine functional group, 2559
β-Cyclodextrin, 1051
β-Modification, 2259
Bhilawanut shell liquid, 487
Bifunctional polymer, 1329
Binary blends, 2441
Biocompatibility, 1537
Biodegradable polymers, 627
Biodegradation, 303, 417, 627
Birefringence, 1495
Bis(cyclopentadienyl)titanium dichloride, 525
Bis(hydroxyethyl)terephthalate, 2423
Bismaleimide (BMI), 1019
Bismaleimides, 1029
Blend, 2235, 2395, 2469
Blends, 129, 153, 161, 193, 391, 513, 533, 637, 645, 675, 719, 775, 807, 825, 857, 995, 1089, 1301, 1505, 1813, 1923, 1933, 2271, 2349, 2441, 2577, 2599, 2615, 2625, 2673, 2691
Block copolyesterether, 303
Block copolymer, 1765, 2139
Block propylene–ethylene copolymer, 2469
Blocked diisocyanate polyester, 1119
Blooming, 1531
BMC, 2663
Bolaform electrolyte, 2247
Bone cements, 1367
Bridged polymeric phthalocyanine, 2609
1,4-Butanediol, 169
Butyl rubber membranes, 503

CaF_2, 1675
Calorimetric study, 1367
Carbon black, 95, 193, 825, 1301
Carbon monoxide–ethylene copolymer, 1691
Castor oil, 1451
Catalysis, 2423
Cationic, 1793
Cattlehide, 1019
Ce(IV)–DMSO redox system, 2569
Cellulose, 761, 879, 2195
Cellulose acetate, 1275, 2013
Cellulose triacetate, 1445
Cellulosic blend, 2133
Cellulosic insulation, 2541
Chaff, 1435
Chain-extended ureas, 339
Chain-transfer agent, 1137
Characterization, 1419, 1451, 1621
Charged polyacrylonitriles, 1821
Charge–transfer complexes, 1403
Chelating polymers, 771
Chemical blowing agents, 1753
Chemical modification, 931, 1933
Chemical reaction, 857
Chemical structure, 51
Chemoenzymatic synthesis, 1451
Chitin, 1435, 2305
Chitosan, 1051, 1435, 1661, 2305
Chlorinated polyethylene-*graft*-polystyrene, 995
Chlorinated polypropylene, 2107
Chloromethylstyrene, 1863
$^{13}C\{^1H\}$ nuclear magnetic resonance spectroscopy, 2507
Cinnamoylated rubbers, 907
Clouding point, 1645
^{13}C-NMR, 743
^{60}Co γ-ray irradiation, 435
Coagulation, 2409
Coating materials, 115
Coating morphology, 565
Coatings, 487
Cobalt 60 gamma ray, 25
Cocrystallization, 2271

Cold drawn polyester (PET) fibers, 33
Colored siloxane-based PU ionomer, 2097
Compatibility, 271, 2133
Compatibilization, 161, 391, 807, 995, 1711, 2625
Compatibilizer, 201, 329, 533, 719
Compatibilizers, 1089
Complex, 263
Composite, 329, 1159, 1319, 2229
Composite materials, 2593
Composite particle, 2221, 2291
Composites, 589, 845, 1119, 1891, 2435
Compositional heterogeneity, 947
Concentrated polymer solutions, 1727
Conducting polymer composite, 2641
Conductive blends, 841
Conductivity, 1
Constant strain rate, 2357
Contact angle, 2691
Control experiment, 59
Controlled release, 263, 921
Coordination polymers, 751
Copolycarbonate macrodiols, 1621
Copolymer, 1329, 2261
Copolymer gel particles, 799
Copolymers, 391
Core–shell, 2291
Core–shell latex polymers, 13
Core–shell particles, 2069
Core–shell type microsphere, 211
Corrosion inhibition, 2169
Cost effective, 1385
Coupling agent, 1993
Crack growth, 941
Creep, 1983
Creep recovery, 1587
Crosslinking, 619, 709, 977, 985, 1953
Crosslinking agents, 1705
Crosslinking gradient, 1607
Crosslinking reactions, 255
Crystallinity, 2477
Crystallization, 2599
Crystallization and melting behavior, 637, 2469
Crystallization behavior, 1675
Crystallization conditions, 2657
Cure, 2395
Cure behavior, 2691
Curing, 247, 1167, 1599, 1719
Curing agent, 1737
Curing kinetics, 1029
Cyclic trimethylene carbonate, 1429
Cyclodextrin, 1419
Cyclotriphosphazene, 115

Damping function, 1765
Deformation, 2349
Dehydration, 2035
Delamination, 2159
Demolding technique, 2159
Dental use, 1409
Depth profiling, 461
Desorption, 2235
Devulcanization, 2691
Dianhydride-modified polystyrene, 709
Diazonium salt, 1975
Diazoresin, 1975
Diblock copolymer, 611
Dicationic polymer, 1329
Dicyandiamide, 2487
Dielectric, 2369
Differential scanning calorimetry, 303, 451
Differential scanning calorimetry (DSC), 729, 1923
Diffusion, 2235
Diffusion and sorption, 1013
Diffusion coefficients, 2331
Diglycidylether of bisphenol A, 1167
Diisocyanate, 1451
Dimensionally stable, 2383
Dimethyldichlorosilane, 2097
Dispersion, 1531
Dispersion polymerization, 1863
Dispersive power, 1495
Dissociation, 263
DMAPS, 2021
DMTA, 363
Doping, 1, 1743, 2147
Double irradiation, 143
Double percolation, 1813
Double-base (DB) propellant grains, 7
Drawn/heat-set filaments, 2115
Dry casting, 2013
DSC, 381, 743, 871
Dual melting endotherms, 729
Dual sorption and transport parameters, 1013
Dye diffusion, 911
Dye partitioning, 911
Dye solubility, 911
Dyeing, 2247
Dynamic bond percolation theory, 835
Dynamic light scattering, 871
Dynamic mechanical analysis (DMA), 1019, 1923
Dynamic mechanical properties, 1563, 1575, 2079
Dynamic mechanical thermal properties, 1349
Dynamic moduli, 1727
Dynamic rheology, 1587
Dynamic viscoelasticity, 2593
Dynamic vulcanization, 1357

E-44, 1505
Effect of environment, 1385
Effect of the counter-ion, 907
Effect of the spacer length, 907
Elastic behaviors, 1349
Elastomer, 1711
Elastomers, 161
Electric field poling, 2609
Electrical and mechanical properties, 685
Electrical conductivity, 123, 825, 1743
Electrical properties, 1813
Electrical resistivity, 1043
Electrical transfomers, 2541
Electrically conductive polymers, 2205
Electrochemical reaction, 1159
Electrolytes, 479
Electron beam irradiation, 2079
Electrostatic interaction, 2641
Elongational flow, 2357
Elongational viscosity, 2357
Emulsion copolymerization, 551, 2277
Emulsion polymerization, 2069, 2221, 2409
Encapulating compound, 2187
Energy dissipation, 2409
Enhanced solid state polymerization, 1203
Enzymatic degradation, 1537
Enzyme, 303
EPDM rubber, 25
Epoxidized natural rubber, 1357
Epoxy, 405, 2395
Epoxy adhesion, 1179
Epoxy conversion, 2487
Epoxy mixtures, 183
Epoxy resin, 271, 339, 363, 619, 887, 1335, 1523, 2069, 2187, 2369, 2593
Epoxy resins, 1029, 1737
Epoxy–anhydride cure, 451
Equivalent model, 2615
Erosion, 263
ESCA, 1251, 1645
ESR spectroscopy, 1107

Esterification, 2195
Ethyl methacrylate, 1761
Ethyl *N*-acryloylglycine, 799
Ethylene glycol, 957
Ethylene–propylene rubber, 1681
Experimental design, 931
Exposure time, 667, 2533
Extremely low pressure, 1013
Extrusion, 1753

Failure mechanisms, 1319
Fatigue, 941
Fe^{2+}/H_2O_2, 1907, 1917
Ferrous sulfate, 2213
Fiber, 1343
Fiber drying, 1435
Fibers, 33, 461, 1089, 1459, 2569
Fibers and whiskers, 1393
Filaments, 421, 2051
Filled polyetheretherketone (PEEK), 135
Filler, 589, 1385, 1993, 2229
Filler-induced gelation of polymers, 95
Film formation, 2221
Films, 1965
Fire-retardant, 115
Flame retardance, 1129, 2043
Flame-retarding properties, 1635
Flory's assumption, 169
Flow curves, 2577
Fluorescence, 645
Fluorocarbon rubber, 2079
Fluoropolymers, 2005
Flyash, 1385
Formaldehyde, 631
Fourier transform infrared spectroscopy, 201, 857, 957, 1855
Fourier transform infrared-photoacoustic spectroscopy, 1669
Fraction, 1079
Fracture, 405
Fracture energy, 581
Fracture toughness, 2291
Free radical grafting, 1307
Free radical interfacial copolymerization, 443
Free volume theory, 835
Friction and wear, 1393
Friction and wear behaviors, 1099
Friction and wear properties, 135, 2341
Frictional surfaces, 1393
Friedel–Crafts acylation reaction, 709
FTIR, 363, 1167
FTIR spectroscopy, 1029
Functionalized polypropylene, 391
Furanic degradation products, 2541

γ-Irradiation, 2649
Gas phase, 1875
Gas-phase reaction, 1705
Gel, 2691
Gelation, 2477
Glass fiber, 1319
Glass fibers, 381
Glass mat thermoplastics, 1319
Glass temperatures, 247
Glass transition, 283, 293, 2235
Glass transition temperature, 907, 2261
Glycidyl methacrylate, 2069
Glycidylmethacrylate, 1179
Glycolysis, 657
Glycolysis of PET, 2311
Graft copolymer, 879
Graft copolymerization, 25, 143, 599, 1089, 1343, 2569, 2585
Grafting, 719, 1307, 1965, 2107, 2213
Grafting copolymerization, 1907, 1917
Grafting reactions, 255
Gravimetric, 2369
Gum rosin, 271

Hard segment, 1563
Hardwood dissolving pulp, 1445
Heat impact on PVC, 865
Heavy metal ions, 45
HEMA, 2021
Hermans optical orientation function, 33
Heterocoagulation, 2221
Heterogeneous nucleation, 1675
High-density polyethylene, 323, 1993, 2469
High-density polyethylene (HDPE), 2599
High-performance polymers, 2005
High-temperature polymers, 2005
Hindered amine light stabilizers (HALS), 2649
Hindered amine stabilizer, 1107
Hollow fiber, 371
Hollow fiber module, 371
Homopolymer, 1329
Homopolymer blends, 1551
Hoop strength, 323
Humic acid, 2305
Hybrid composites, 2499
Hybrid nanocomposite, 1557
Hydrogel, 921, 1793, 2021
Hydrogel formation, 1661
Hydrogels, 479
Hydrogen-bonded blends, 1691
Hydrolysis, 1863
Hydrolytic degradation, 1537
Hydrophilicity, 2195
Hydrotropic agent, 2459
2-Hydroxyethylmethacrylate (HEMA), 115
Hydroxyethyl methacrylate, 2107
Hygrothermal aging, 363

I^+ implantation, 1743
ILCPN, 349
Imide oligomer, 469
Impact performance, 2657
Impact strength, 533
In situ detection, 1107
In situ Fourier transform infrared (FTIR), 247, 1599
In situ polymerization, 355, 675, 1761
In vitro hydrolytic degradation, 627
Infrared analysis, 2395
Infrared spectra, 2097
Infrared spectroscopy, 461
Inhibitor, 1137
Initializing effect of amines, 1705
Injection-molded polypropylene, 2259
Insoluble residue, 1445
Intensive mixer, 1307
Interfacial modifier, 1711
Interlinking agents, 1933
Interpenetrating polymer network, 761
Interpenetrating polymer network (IPN), 1019
Interpenetrating polymer network (IPN) membranes, 1953
Interpenetrating polymer networks, 271
Interpenetrating polymer networks (IPNs), 479, 1029
Inverse gas chromatography, 2195
Ion beam analysis techniques, 1743
Ion beam treatment, 1071
Ion irradiation, 1257
Ion pair, 611
Ionic aggregates, 153
Ionic conductivity, 835
Ionic elastomers, 153
Ionomer, 807
Ion–dipole interaction, 807

IPN, 349
iPP, 381
IR reflow solder, 2187
IR spectroscopy, 2175
Irradiation, 599
Irreversible effects, 363
ISAF black, 1043
Isocyanate functional latex, 965
Isotactic polypropylene, 143, 1847, 2089
Isotactic propypropene, 2499
Isothermal crystallization, 381, 2089

Jute, 329
Jute fibers, 2569

Kapton/carbon dioxide system, 1013
Kinetic, 631
Kinetics, 169, 255, 1917, 2423
Kinetics of polymerization of ethylene, 1005

Lactide–glycolide copolymers, 627
see under L-alanine, 1537
Lamp black, 1043
Langmuir-Blodgett multilayers, 1403
Latent-curing agent, 339
Latex blend, 965, 977, 985
Latex film crosslinking, 965
Latex film formation, 977
Latex particles, 13
Layer separation, 1855
LB films, 1
LCPs, 349
LDPE, 719
Leather/polymer composite, 1019
LED, 2451
Ligand exchange, 771
Ligands, 1691
Light microscopy, 957
Light-cured dental composite, 1153
Lignin, 2517
Lignin model compound, 2517
Lignocellulosics, 845
Lignocellulosics plastics, 845
Linear low-density polyethylene (LLDPE), 2599
Linear polyurethane, 169
Lipase, 1451
Liquid chromatography, 2549
Liquid crystalline polymer (LCP), 391, 1517
Liquid isothermal bath, 2051
Liquid natural rubber, 785
Lithium, 2435
Living polymer, 611
Living radical polymerization, 211
see under L-Lactide, 1429
Lorentz–Lorenz equation, 33
Low temperature, 791
Lower critical solution temperature (LCST), 895
Low-viscosity prepolymer, 469
Lyocell solution, 2357

Macroporous polyamines, 1419
Maleated polypropylene, 329
Marine, 2229
Mechanical, 2369
Mechanical behavior, 1367
Mechanical compatibilization, 719
Mechanical properties, 355, 995, 1129, 1385, 1409, 1891, 2499, 2625, 2691
Mechanical property, 835
Mechanochemical modification, 719
Melt condensation, 751
Melt mixing, 719, 857, 2673
Melt polymerization, 1517
Melt spinnability, 1691
Melt spinning, 2051
Melt viscosity, 2577
Melting, 729
Melting temperature, 2261
Membrane, 761, 1645
Membrane vapor separation, 371
Membranes, 709, 1753
Metal ions, 817
Metal powder, 2593
Metallocene polyethylene (MCPE), 2441
Metalloporphyrins, 89
Methacrylated urethanes, 1837
Methacrylic acid, 143
Methyl acrylate, 565, 573
Methyl methacrylate, 525, 675
Methyl methacrylate (MMA), 59, 2569
Methyl thioglycolate, 1863
Methylmethacrylate (MMA), 25
$MgCl_2(THF)_2$, 1005
Microcellular foams, 1753
Microcracking, 2341
Microelectronics applications, 2383
Microfibers, 2357
Microgel, 871, 1863
Microhardness, 2271
Microphase separation structure, 303
Microscopy, 1319
Microspectroscopy, 645
Microwave, 1115
Microwave enhanced diffusion, 1203
Minimum film-formation temperature, 565, 573
Mirage effect, 1875
Miscibility, 513
Mixing, 2277
Mode II, 405
Model composites, 381
Model reactions, 2423
Modeling, 1983
Modification, 887
Modified chitosan membrane, 2035
Modulus, 2615
Moisture crosslinking, 1901
Moisture regain, 2585
Mol ratios, 1187
Molecular characteristics, 2657
Molecular motion, 247
Molecular relaxation, 1523
Molecular weight, 1409
Molten ring-opening copolymerization, 1429
Morphological parameter, 1291
Morphologies of worn surfaces, 135
Morphology, 183, 271, 533, 1159, 1563, 1575, 1645, 1675, 1813, 2221, 2435, 2469, 2499, 2657
Multicomponent spectroscopic analysis, 2175
Mutual irradiation, 143

Nanocomposites, 355
Nanometer ZrO_2, 135
Natural rubber (NR), 2673
Natural rubber-*g*-polystyrene, 2673
Natural weathering, 667
n-butyl acrylate, 2277
Near-infrared spectroscopy, 1743
Network formation, 1705
N-isopropylacrylamide, 799, 895
Nitrile rubber (NBR), 775
Nitrile rubber/phenolic resin blend, 1187
NMR, 129
N,N-diethylacrylamide, 895
Nondominated sorting genetic algorithm (NSGA), 69
Nonhomogeneous osmotic swelling, 1275
Nonionic surfactant, 2277
Nonisothermal crystallization, 2089
Nonpolar solvents, 2559

Novel adsorbent matrix, 1051
Novolak-type phenolic resin, 1119, 1129
Nucleating agent, 2089
Nylon, 1233
Nylon 6, 69, 161, 2139
Nylon 6,6, 1675
Nylon 66 composites, 589
Nylon equilibria, 1213
Nylon kinetics, 1213
Nylon-6, 2331

Oil lubrication, 1393
Oil resistance, 1357
Oil resistivity, 25
One-dimensional structure, 2609
Open photoacoustic cell technique, 1335
Optical measurements, 33
Optimal control theory, 59
Optimization, 1137
Organomontmorillonite, 1557
Oriental lacquer film, 315
Osmotically active agents, 1275
(1,3-oxothiolane-2-thione)s, 451
Ozone, 1263

PA6, 719
PA-6, 1505
PA6/PC/PPO blends, 129
PA6/PPO blends, 129
Packaging materials, 865
Paper sludge, 2043
Partial esters, 1451
Particle size distribution, 543
p-Cresol, 1187
PDLC, 1517
PDMS, 2691
PEEKK, 1829
PEG-modified urethane acrylate, 2291
PEO, 2435
Percolation percentage, 841
Perfluorocyclobutane polymers, 2005
Permeability, 1263, 2615
Peroxides, 791
Pervaporation, 761, 1607, 1953, 2035
PES copolymer, 743
PET, 657, 1233, 1505, 1775
PFCB, 2005
Phase behavior, 675, 995, 2459
Phase morphology, 2625
Phase separation, 1459, 1621, 2477
Phase-inversion, 1821
Phase-inversion method, 1645
Phenol, 1187
Phenol-formaldehyde resin, 1805
Phenolic resin, 1119
Phenolics, 2043
Phenolphthalein poly(ether ether ketone) (PEK-C), 1923
Phenol–formaldehyde resin, 2175
Photoacoustic, 1335
Photocatalyzed oxidation, 1681
Photocationic initiator, 611
Photoconductivity, 1403, 2609
Photocrosslinking reactions, 907
Photodecomposition, 1875
Photooxidation, 2451
Photopolymerization, 525, 2507
Photoreceptor, 1403
Photosensitivity, 1975
Photothermal, 1875
Photoyellowing, 2517
pH-sensitive, 921
Physical aging, 1291
Pipe, 323
Piperazine, 1329
Plasma, 2321
Plasma graft copolymerization, 1179
Plasma polymerization of pyrrole, 1743
Plastic composites, 845
Plastic IC package reliability, 2187
Plastics thermal degradation, 2377
PMMA, 1367
PMPS segment, 1523
PMR-15 polyimide, 1983
Polarization and depolarization experiments, 283, 293
Polyacrylamide, 211, 791, 841, 1587
Poly(acrylamide or acrylic acid), 761
Polyacrylonitrile, 1159, 2641
Polyacrylonitriles, 1821
Polyamide 6, 355, 857
Polyamides, 417
Polyaniline, 841, 2205
Polyarylate polymers, 2005
Polybutadiene, 2139
Poly(butyl acrylate)–polystyrene (PBA/PS) composite latex, 13
Poly(butylene terephthalate), 495, 2271
Polycarbonate, 533, 857, 887, 2395
Polydimethylsiloxane, 1291
Polydimethyl-siloxane-$\alpha\omega$-diol, 1705
Polyelectrolyte, 263
Polyelectrolyte effects, 1329
Polyelectrolytes, 2435
Poly(ester amide), 1537
Poly(ester imide), 1517
Polyester–metal complexes, 751
Poly(ether ether ketone), 637
Polyether-based polyurethanes, 1563, 1575
Polyether-segmented nylon, 1645
Polyethersulfone, 183
Polyethylacrylate, 1727
Polyethylene, 255, 1071, 1307
Polyethylene film, 599
Poly(ethylene glycol), 339
Polyethylene glycol, 957
Poly(ethylene oxide), 947, 1129, 2147
Polyethylene (PE), 775
Poly(ethylene terephthalate), 947, 1115
Polyethylene terephthalate, 1789
Poly(ethylene terephthalate), 2051, 2115, 2321
Poly(ethylene terephthalate) (PET), 729
Poly(ethylene terephthalate) thermal degradation, 2377
Polyethylenes, 1875
Poly(ethyleneterephthalate), 2423
Polyfunctional crosslinks, 95
Polyimide copolymers, 2383
Polymer composites, 845
Polymer crystallinity, 565, 573
Polymer dispersed liquid crystal, 1517
Polymer membrane characterization, 2013
Polymer reaction, 1863
Polymer reaction engineering, 1233
Polymer reactor engineering, 1775
Polymeric emulsifier, 543
Polymerization, 631, 1137
Polymerization of olefins, 1005
Polymerization reactivity, 1057
Polymer–filler interaction, 95
Poly(methyl methacrylate), 533, 675, 1409
Poly(methyl methacrylate/*n*-butyl acrylate/TMI), 977
Polymorphic transition, 2271
Poly(*N*-butyl methacrylate), 1669
Polyolefins, 2441
Poly(organophosphazene), 1965
Poly(phenylene acetylene), 2451
Poly(phenylene sulfide), 637

Polyphenylene sulfide, 1099
Poly(phenylene vinylene), 2451
Polyphenylquinoxaline (PPQ), 123
Polypropylene, 329, 931, 1107, 1319, 1343, 2107, 2357, 2615, 2649
Polypropylene blends, 2625
Polypropylene fabric, 2213
Polypropylene films, 667
Poly(propylene oxide), 857
Polypropylene (PP) films, 2533
Polypropylene–LCP blends, 391
Polypyrrole, 2641
Polyrropylene, 2657
Polysiloxane-based inhibition system, 7
Polystyrene, 211, 709, 1251, 2615
Polystyrene blends, 2625
Polystyrene (PS), 2673
Polysulfone, 1753
Polytetrafluoroethylene (PTFE), 1257
Poly(tetramethylene aspartate), 751
Polyurethane, 271, 887
Polyurethane elastomers, 1621
Polyurethanes, 1635
Poly(vinyl acetate), 675
Poly(vinyl alcohol), 1885, 1965, 2147, 2477
Poly(vinyl butyral), 193
Poly(vinyl chloride), 685, 785, 1357, 1901
Poly(vinyl chloride) (PVC) recycling, 865
Poly(3-alkylthiophene), 1
Poly(ε-caprolactone), 193
Pore size, 709
Porous structure, 895
Porphyrins, 89
Positive temperature coefficient, 193
Postcuring, 1367
Postmold cure, 2187
p-Phenylen-bis-maleamic acid, 931
Preirradiation, 143
Presensitized plate, 1975
Preservation, 1761
Pressure-sensitive adhesives (PSAs), 581
Probe tack, 581
Properties, 217, 2051, 2115
Properties of HDPE, 1005
Propylene glycol, 957
Proton transport, 2147
PS/EPDM blends, 1933
PTFE, 435
PTFE composites, 1393
Pulp additives, 461
Pultrusion, 1129
Purge gas, 1789
PVC, 657
PVC degradation, 865
PVC/PS blends, 995
Pyridinium salt, 1863
Pyrolysis, 123

Quantitative ^{13}C-NMR spectroscopy, 1805
Quartz crystal microbalance, 2235
Quaternary amine, 263

Radiation, 1343
Radiation resistance, 2649
Radiopaque, 1153
Random copolymer, 1765
Reaction of poly(ethylene terephthalate) (PET), 2311
Reaction-diffusion, 985
Reactive blending, 1885
Reactive compatibilization, 1505
Reactive processing, 931, 1933
Reactive solvent, 469
Reactivity ratio, 217
Reactor, 1137
Reactor modeling, 1775
Real-time measurement, 2013
Reciprocal temperature, 1079
Recrystallization, 729
Recycling, 657, 1115
Recycling assessment, 865
Recycling of PET wastes, 2311
Redoping, 2205
Refractive index, 1495
Reinforced polyetheretherketone (PEEK) composite, 2341
Relaxation, 495
Relaxation in polymers, 283, 293
Release kinetics, 1275
Residual monomer, 1367
Resins, 1855
Resol resin, 2175
Revulcanization, 2691
RFL adhesive, 2321
Rheological equation of state, 1079
Rheology, 2499
Rigid foam, 271
Ring oligomers, 1213
Rocket-propellant inhibitor, 7
Rubber, 941, 1301
Rubber compound, 1531
Rubberwood, 1993

SAN, 513
SAXS, 1829
SBR, 2691
SBS block copolymer, 2625
Scanning electron microscopy, 857, 957
Schiff base condensation, 89
Scorch, 1301
Segmented copolymer, 947
Segmented polyurethane devices, 2159
Selective location of filler, 1813
Selectivity, 1263
Self-crosslinkable polyacrylate coating, 1599
Self-reinforcement, 323
SEM, 1645
Semibatch reactor, 69
Semi-ILCPN, 349
Semi-interpenetrating networks, 921
Semi-interpenetrating polymer network (SPN), 1953
Semi-IPN, 349
Separation, 817, 2035
Separation of ethanol/water mixture, 1607
Shape memory, 947
Shape memory behavior, 1563, 1575
Shear stress, 2577
Shish kebab, 323
Short carbon fiber, 1813
Silane coupling agent, 2559
Silica, 355, 1301
Silicone, 2691
Silicone membrane, 1263
Silicone rubber, 1043, 1557, 2691
Silicone rubber particles, 619
Silk fibers, 1495
Silk fibroin, 1089
Silk redox systems, 239
Siloxane, 1621
SIMS, 1645
Singlet oxygen, 2451
SMI, 513
Sodium acrylate, 229
Sodium alginate, 1607
Sodium 2-acrylamido-2-methylpropanesulfonate copolymeric gels, 229
Soft segment, 1575
Soft segments, 1349
Sol, 2691
Solid state, 129
Solid-state polymerization, 1789

Solid-state reactions, 1233
Solubility and water sorption, 1153
Solubility character, 525
Solubility parameters, 2663
Solution behavior, 1079
Solution-casting technique, 2159
Solvent addition, 1445
Solvents, 1727, 2559, 2663
Solvent–nonsolvent ratio, 2549
Solvolysis, 1115
Sorption, 771, 2247
Sorption centers, 1847
Sorption properties, 1419
Spectroscopy, 1071, 1875
Spontaneous copolymerization, 817
Spunbonded webs, 421
Sputter etching, 461
Starch derivatives, 45
Static light scattering, 871
Static mixer, 719
Stilbene, 2517
Stimulated thermal currents, 283, 293
Stoichiometry, 183
Strain-hardening, 1765
Strain-softening, 1765
Strength, 2615
Stress relaxation, 315, 2585
Structure, 1829, 2051, 2115
Styrene, 443, 1307, 2277, 2409
Styrene butadiene rubber (SBR), 775
Styrene-*co*-4-vinylpyridine copolymers, 807
Styrene-maleic acid-acrylic ester copolymers, 2169
Styrene-*n*-butylacrylate (St/BA) copolymer latexes, 551
Styrene–butadiene block copolymer, 825
Styrene–butadiene rubber (SBR) vulcanizates, 1719
Submicron gel particles, 109
Subsequent monomer addition, 611
Sub-T_g, 1523
Sulfenylation, 1863
Sulfone, 2261
Sulfur, 1531
Sulfur dioxide, 1761
Sulphur mustard, 503
Superabsorbent polymeric material, 229
Supernucleophilic reagent, 2303
Super-tough nylon 6, 1711
Surface, 1071, 2349
Surface concentration, 2691
Surface free energy analysis, 1551
Surface modification, 435
Surface photostabilization, 1251
Surface properties, 2195, 2691
Surface structure, 1645
Surface treatment, 2593
Suspension polymerization, 211
Swelling, 479, 921, 1661, 2331
Swelling behavior, 229, 799
Swelling behaviors, 109
Synthesis, 51, 217, 1621

Take-up speed, 2115
Telechelic polybutadiene, 965, 977, 985
Temperature trajectory, 59
Tenacity, 2585
Tensile properties, 2159
Ternary copolymer, 835
Terpolymers, 217
Tetramethyl biphenol diglycidyl ether, 1291
Thermal and mechanical properties, 1621
Thermal bonding, 421
Thermal decomposition behavior, 2133
Thermal diffusivity, 1335
Thermal expansion coefficient, 1291
Thermal properties, 1409, 1563, 1575
Thermal resistance, 1737
Thermal stability, 1129
Thermal stability evaluation, 1691
Thermogravimetric analysis, 451, 751
Thermogravimetric analysis (TGA), 1599
Thermogravimetry, 743, 1885, 2133
Thermomechanical behavior, 1983
Thermomechanical fiber, 1993
Thermoplastic elastomer, 495, 2331
Thermoplastic elastomers, 1357
Thermoplastic polyurethane elastomers, 1349
Thermoreversible, 1793
Thermosensitive, 1793
Thermosensitive gel, 895
Thermostability, 1975
Thermostable polymers, 1983
Thermotropic liquid crystalline copolyester (LCP), 1923
Thioether, 2261
Thixotropy, 1587
Threshold, 941
Time–temperature superposition, 315
Toluene 2,4-diisocyanate, 169
Toluene diisocyanate, 2097
Torque, 857
Torsion, 495
Torsion braid analysis (TBA), 1599
Torsional braid analysis, 247
Toughened bismaleimides, 469
Toughening, 405, 1711
Toughening modifier, 339
Toughness, 183, 2069, 2259
Transesterification, 2395
Transfer, 135
Transformer oil, 2541
Transfunctional epoxy resin, 51
Transient and steady wear state, 1099
Transient shear stress, 1587
Transmission electron microscopy, 201
Transparency, 2291
Tremolite-filled nylon 66 composites, 589
Triethoxysilane, 1965
Triton X-405, 2277
TSC, 1523
Two-stage soapless emulsion polymerization, 13

Ultrafiltration, 1821
Ultrasonic measurements, 785
Ultrasonic time-domain reflectometry, 2013
Ultrasound, 2691
Ultraviolet spectroscopy, 1743
Ultraviolet–visible spectroscopy, 911
Uniaxial elongational viscosity, 1765
Units of disorder (UODs), 1847
Unsaturated polyester, 695, 871, 2663
Unsaturated polyester resin, 1385
Urea, 631
Urethane acrylate anionomer, 1079
Urethane oil, 1451
Urones, 2487
UV-curable coating, 695
UV-curable resins, 1837

UV curing, 115
UV irradiation, 1901

Vinyl acetate, 2409
Vinyl ester, 2229
Vinyl monomer grafting, 239
Vinyl triethoxy silane-methyl methacrylate copolymers, 1551
Vinylidene chloride, 565, 573
Vinyltri(alkoxy)silane, 1901
Vinyltriethoxysilane (VTEOS), 1719
Viscose fiber, 2585
Viscosity, 631, 1587
Visible light-cured dental adhesive, 1057
VOC removal, 371
Volatile products evolved from poly(ethylene terephthalate), 2377
Vulcanizates, 1719

Waste management, 1115
Water, 315, 363, 941, 2229
Water uptake, 2369
Waterborne coating, 695
Water-soluble polymers, 817, 2549
Water–alcohol mixture, 2035
Weathering, 2533
Wet spinning, 1459
Wettability, 2321
Whisker, 2341
WLF equation, 315
Wollastonite filler, 2139
Wood coating, 695
Wood flour–polymer composite, 201

ζ Potential, 543
XPS, 2349
X-ray photoelectron spectroscopy, 1743, 1855
Xylan, 1661
Xylan diacetate, 1445

Yield properties, 667
Yield stress, 1587

ζ Potential, 543
Ziegler-Natta catalysts, 1005
Zwitterionic microgel, 1863